

❖ INDEX

- AA. *See* Alcoholics Anonymous
AARP Public Policy Institute, 185
AAS. *See* American Association of Suicidology
ABA. *See* applied behavioral analysis
ABC model of depression, 120
abortions, 206, 207, 210–11, 394, 447
abstinence-only-until-marriage program, 205–6, 210, 215, 218
abuse and neglect: of autism spectrum individuals, 79–80; BPD and, 99, 102. *See also* child abuse and neglect
ACCESS. *See* Arab American Center for Cultural, Economic and Social Services
acculturation, 59, 107–8, 163, 380–81
ACEs. *See* adverse childhood experiences
ACF. *See* Administration for Children and Families
acquired immune deficiency syndrome (AIDS), 33–53, 328; as affirmative experience, 40; bereavement counseling for, 41, 46, 47; biopsychosocial consequences, 33; children orphaned by, 42; defining and explaining, 33–35; demographic patterns, 35–36; depression and, 38, 39; homeless individuals and, 36, 42; IDUs and, 35, 36; medical treatment for, 38–39; as metadisease process, 37; microorganisms parasitic relations and, 2; MSMs and, 35; older persons with, 42; protective factors, 39–40; race and ethnicity, 12; risk factors, 37–39; social worker education on, 37; societal context, 36–37; stigmatized death and, 36, 44; suicide and, 186, 471; of young men of color, 327, 538–39, 542–43, 545. *See also* human immunodeficiency virus; people living with AIDS
acquired immune deficiency syndrome, human face of: advocacy work, 51–52; assessment and intervention, 42–47; caregivers, 46–47; episodic crisis support, 44, 51; functional consequences of, 43–44; grief work, 51; peer support systems, 41, 49; psychosocial consequences, 43; relationship challenging, 44, 45–46; survival strategies identification, 40
acquired immune deficiency syndrome, social work contributions, 40; acute care hospitals, 42; assessment and psychosocial consequences, 46, 48–49; case management work, 42; child welfare services and, 46; crisis intervention teams, 41; didactic-oriented group programs, 41; ethical and legal issues, 46; family, broad operational definition of, 45; family counseling, 42; support groups, 41, 46; teaching safe-sex behaviors, 45
ACT. *See* Assertive Community Treatment
activity camps, 193
acute care hospitals, 42
acute illness, 180. *See also* chronic physical illness and disability
acute stress disorder, 290
adaptive mechanisms, 4, 58, 147–48, 380–81, 449, 471, 517, 551
Add Health. *See* National Longitudinal Study of Adolescent Health
Addiction Severity Index (ASI), 64
addictive behavior disorders, 54–72; assessment, 64–66; biological factors, 60; case illustration and discussion, 66–69; demographic patterns, 58–59; disease models of, 56; EBP for, 65–66; family factors, 59–60; harm reduction therapy for, 62; individual factors, 61; learning and conditioning models, 57–58; level of care for, 63–64; moral models for, 55–56; programs for, 61–64; psychoanalytical explanations for, 56–58; resiliencies and protective factors, 61; screening

- addictive behavior disorders
(*continued*)
instruments for, 64–65; social factors, 60–61; social work contributions, 61–64; societal context, 59–60; spiritual models for, 56; symptom models for, 56; TCs for treatment of, 63–64. *See also* alcoholism and other drug addictions; substance abuse
- ADHD. *See* attention-deficit/hyperactivity disorder
- ADI. *See* Autism Diagnostic Interview
- adjustment disorder, 119
- Administration for Children and Families (ACF), of DHHS, 271
- Adolescent Family Life Act (1981), 210, 215, 220
- adolescent pregnancy, 205–26, 539;
assessment and intervention, 220–21; case illustration and discussion, 221–23; children of teens, 206, 213–14; community-based programs for, 218; community characteristics, 213; curriculum-based education programs for, 217; defining and explaining, 205–6; demographic patterns, 206–9; family characteristics, 206, 212–13; mental health and, 212; parent programs for, 218; pregnancy prevention programs, 211, 216–20; programs and social work contributions, 215–20; race and ethnicity disparities in, 208; resiliencies and protective factors, 214–15; sexual abuse victims and, 212; social services for, 220; societal context of, 209–11; substance abuse and, 212; tangible support for, 215; teens in foster care and, 213; vulnerabilities and risk factors, 211–14
- adolescents: BPD in, 105–6; contraception and condoms, 209, 210, 211; death of, 306; depression in, 117, 118, 121, 123, 212; eating problems in, 145, 147, 151; fatherhood of, 207–8; in foster care, 272; gay and lesbian, 325, 327; *It's your game. Keep it real* intervention for, 217; media influence on, 209–10; parental monitoring of, 214–15; parents, poverty of, 206, 208–9; physical, emotional and cognitive development of, 211–12; pregnancy and birthrates, 206–7; sexual activity of, 209; STIs and health, 209
- adoption, 275, 281
- Adoption and Child Welfare Act (1980), 274–75
- Adoption and Safe Families Act (ASFA) (1997), 273, 275–76
- Adoption Assistance and Child Welfare Act (1989), 273, 275
- ADOS. *See* Autism Diagnostic Observation Schedule
- adult day care, 425
- adulthood, gay and lesbian persons, 321, 327–28, 331
- adverse childhood experiences (ACEs), 255
- AEDPA. *See* Anti Terrorism Effective Death Penalty Act
- AFDC. *See* Aid to Families with Dependent Children
- affective disorders, 98–99, 104–5
- affect regulation and impulse control, for eating problems, 142
- Affordable Health Care Act (2010), 42; EOB statements and, 211; Personal Responsibility Education Program of, 216; teen access to contraceptives, 211
- African Americans: BPD and, 107; depression and, 121; life circumstances, 5–8, 11–12; life expectancy of, 11; older persons, 417; protective factors, 4; suicide and, 466–67. *See also* women of color
- AFS. *See* American Federation of Suicidology
- ageism, 421
- age-related cognitive decline, 420
- aggression: covert, 227; expressive, in intimate partner abuse, 394; microaggressions of women of color, 566; overt, 227
- AHAR. *See* Annual Homeless Assessment Report
- Aid to Families with Dependent Children (AFDC), 8
- AI-Anon, 62, 65
- Alaskan Natives, 467–68
- Alcoholics Anonymous (AA), 15, 62, 65, 167
- alcoholism and other drug addictions, 2, 4, 54–72; defining and explaining, 54–58; detoxification, 63; genetic linkages, 1, 61; poverty and, 26; risk factors for, 61; societal context of, 59–60; vulnerabilities and risk factors for, 60–61. *See also* addictive behavior disorders; substance abuse
- Alcohol Use Inventory (AUI), 64–65
- alexithymia, 147
- Alzheimer's disease, 2, 420, 427, 429
- American Academy of Pediatrics, 77, 83
- American Association of Suicidology (AAS), 464, 473
- American Federation of Suicidology (AFS), 473
- American Medical Association, 55
- American Psychiatric Association (APA), 117, 160, 290, 319, 471
- American Society of Addiction Medicine (ASAM), 63
- Amnesty International, 484, 509, 512
- Amnesty International Report (2012), 511
- anhedonia, 554
- Annie E. Casey Foundation, 251
- Annual Homeless Assessment Report (AHAR), 347–48, 353
- anorexia nervosa, 141–44, 193; *DSM-IV-TR* on, 143; gender and, 146; personality and family dynamics for, 2
- anti-bullying efforts, 234–35
- antisocial behavior, 26, 57, 254, 260
- Anti Terrorism Effective Death Penalty Act (AEDPA) (1996), 376
- APA. *See* American Psychiatric Association
- applied behavioral analysis (ABA), 84
- Arab American Center for Cultural, Economic and Social Services (ACCESS), 568
- Army, U.S., Battlemind program of, 450
- ASAM. *See* American Society of Addiction Medicine
- ASFA. *See* Adoption and Safe Families Act
- ASI. *See* Addiction Severity Index
- Asian Americans, 468; child mortality rate, 11; suicide of, 458. *See also* women of color
- Asperger, Hans, 73–74
- Asperger's syndrome, 73, 74
- Assertive Community Treatment (ACT), 128, 166, 167, 359, 525

- assessment and interventions:
 addictive behavior disorders, 64–66; adolescent pregnancy, 220–21; AIDS, 42–49; autism spectrum, 83–86; BPD, 104–9; bullying, 236–38; child abuse and neglect, 256–61; of coping strategies, 20; crime victims and victim services, 295–96; death in family, 308–13; depression, 117–18, 129–33; eating problems, 149–53; of environmental resources, 20–21, 22; foster care, 283–84; gay and lesbian persons, 334–38; harm/loss compared to threat, 20; homeless people, 358–59; immigrants and refugees, 383–84; intimate partner abuse, 404–7; life stressors formulation, 19–21; older persons in need of long-term care, 426–29; reasoned inferences, inductive and deductive reasoning, 21; salient data and, 21; schizophrenia, 169–71; social work practices and, 20–25; suicide and suicidal behavior, 474–75; terrorism, survivors and victims of, 493–502; torture, survivors of, 519–26; transactional disturbances, 18–19; veterans, 451–52; women of color, 569–70; young men of color, 550–51
- asset mapping, 550–51
- assisted suicide, 465
- asylum seekers, 410–11, 511–12, 524, 528n1
- attachment theory, 254, 259
- attention-deficit/hyperactivity disorder (ADHD), 106
- attributions: of crime victims, 291; as protective factor, 14
- atypical antidepressants, 129, 130
- AUI. *See* Alcohol Use Inventory
- Autism Diagnostic Interview (ADI), 84
- Autism Diagnostic Observation Schedule (ADOS), 84
- Autism Self Advocacy Network, 76
- autism spectrum, 73–94; abuse and neglect of, 79–80; Asperger's syndrome, 73, 74; assessment and interventions, 83–86; behavior therapy for, 74; case illustration and discussion, 86–90; CDC on, 73, 75; childhood disintegrative disorder, 73; co-occurring diagnoses and, 77; defining and explaining, 73–75; demographic patterns, 75–76; desensitization techniques for, 85; EBP for, 84–85, 85; environmental factors, 76–77; genetic linkage to, 76; IEPs for, 79; independent living paradigm and, 74; medical model for, 74, 75; MMR vaccine and, 77; negative attitudes toward, 76; neurodiversity and, 76; OT and PT for, 82–83; parent divorce rate, 78; peer relationships, 79; pervasive developmental disorder, 73; physical characteristics of, 74; prevalence of, 75–76; programs and social work contributions, 82–83; resiliencies and protective factors, 80–82; respite care services, 80; safety issues for, 78–79; schizophrenia link to, 74; screening instruments, 83–84; sensory perceptual impairments, 77; siblings supports, 80, 81; societal context, 76; strengths-based approach for, 74, 80–82; theory of mind, 78–79; vulnerabilities and risk factors, 76–80
- battered-child syndrome, 273
- Battlemind program, of U.S. Army, 450
- BDD. *See* body dysmorphic disorder
- Beck, Aaron, 125, 475
- Beck Suicide Scale for Suicide Ideation (BSI), 475
- Behavioral Risk Factor Surveillance System Survey (BRFSS), of CDC, 121–22
- behavior therapy: for autism spectrum disorder, 74. *See also* cognitive behavioral therapy; dialectical behavioral therapy; trauma-focused cognitive behavioral therapy
- Benkert, Karoly, 318
- bereavement counseling: for AIDS, 41, 46, 47; for chronic illness and end-of-life care, 190; counselors, 310–11; for death in family, 304, 306, 313, 315, 316. *See also* grief
- Best Practices Registry (BPR), 474
- bias-based bullying, 228; of children with special needs, 230; consequences of, 233; cyberbullying, 231; disclosure of, 236–37; of LGBTQ youth, 230, 233, 236–37; of overweight children, 230, 233
- BIHEADSSS assessment, 550, 551
- Billingsley, Andrew, 278
- binge eating disorder, 143, 144, 146
- biopsychosocial assessments, 257
- biopsychosocial model, 33, 524–25
- bipolar disorder, 119–20; genetic linkages, 1; medication treatment for, 130–31; schizophrenia and, 162
- Bleuler, Eugen, 73, 160, 161
- body dysmorphic disorder (BDD), 144–45
- “Body-Positive” HIV-positive self-help organization, 40
- borderline personality disorder (BPD), 95–116; in adolescence, 105–6; affective disorders, 98–99, 104–5; assessment and interventions, 104–9; case illustration and discussion, 109–13; childhood trauma, 99, 102, 103; DBT for, 108–9; defensive structure, 97–98; defining and explaining, 95–101; demographic patterns, 101–2; eating disorders, 105; ego psychology approach to, 98; families of origin, 99; genetic linkages, 2, 98–99; immigration and acculturation, 107–8; labeling, 97; neurologic dysfunction, 98; patient-related therapeutic alliance for, 109; programs and social work contributions, 104; psychoanalytic treatment and, 97; psychodynamic therapy for, 109; PTSD relationship to, 99–100, 101; race and ethnicity, 107; resiliencies and protective factors, 103–4; screening instruments for, 105; self-injury and suicidality of, 105; social baseline theory, 99; societal context, 102; substance use disorders, 101, 105; time-limited cognitive-analytic therapy for, 109; vulnerabilities and risk factors for, 102; WWW program for mothers with, 106

- BPD. *See* borderline personality disorder
- BPR. *See* Best Practices Registry
- Brace, Charles Loring, 269
- BRFSS. *See* Behavioral Risk Factor Surveillance System Survey
- Brotherhood/Sister Sol (BSS), 544–45
- BSI. *See* Beck Suicide Scale for Suicide Ideation
- BSS. *See* Brotherhood/Sister Sol buffering hypothesis, for suicide, 472
- Buffett, Warren, 7
- bulimia nervosa, 141, 144; *DSM-IV-TR* on, 143; gender and, 146; personality and family dynamics for, 2
- bullying, 227–47; anti-bullying efforts, 234–35; assessment and intervention, 236–38; case illustration and discussion, 238–40; covert aggression, 227; defining and explaining, 227–28; demographic patterns, 228–31; ecological systems framework for, 231; gender and, 228–29; individual characteristics, 229; international prevalence of, 228; overt aggression, 227; parental relationships and, 233–34; within peer group, 231; perpetrator characteristics, 232; programs and social work contributions, 234–35; research on, 235; resiliencies and protective factors, 233–34; within school, 231–32; societal context for, 231–32; targeted children of, 229, 232, 234; vulnerabilities and risk factors, 232–33; young men of color and, 541. *See also* bias-based bullying; cyberbullying
- Bureau of Labor Statistics, U.S., 7
- Bush, George W., 210
- CACs. *See* children's advocacy centers
- CAGE substance abuse screening instrument, 64
- California Evidence Based Clearinghouse for Child Welfare, 257, 260
- Camus, A., 34, 52
- Canada, women of color and, 563–64
- CAPS. *See* Clinician-Administered PTSD Scale
- CAPTA. *See* Child Abuse Prevention and Treatment Act
- CARA. *See* Combating Autism Reauthorization Act
- caregivers: for AIDS, 46–47; family, for chronic physical illness and disability, 185; family, for depression, 126
- Carrera Program, of Children's Aid Society, 218
- CARS. *See* Childhood Autism Rating Scale
- case management, 42, 169, 229, 359, 519, 525; for survivors of terrorism, 496, 498; for young men of color, 546–47
- CBOs. *See* community-based organizations
- CBT. *See* cognitive behavioral therapy
- CDC. *See* Centers for Disease Control and Prevention
- CDF. *See* Children's Defense Fund
- Center for Mental Health Services (CMHS), 494
- Center on Addiction and Substance Abuse report, 54
- Centers for Disease Control and Prevention (CDC): on adolescent pregnancy, 216; on autism spectrum, 73, 75; BRFSS of, 121–22; on HIV, 12, 35–36; Senior Advisor for Disaster, Terrorism, and Mental Health, 493; on suicide, 463, 465
- Center to Reduce Cancer Health Disparities, 12
- CFSRs. *See* Child and Family Service Reviews
- chance, human experience and, 4, 15
- CHCs. *See* community health centers
- Chicago Women's Health Risk Study, 291
- child abuse and neglect, 248–68; assessment and interventions, 256–61; associated factors, 12–13; attachment and, 254, 259; case illustration and discussion, 261–65; child welfare service system and, 256, 261; cognitive skills and, 264; community risk factors, 253, 255; cycle of coercion, 254; defining and explaining, 248–49; definitional ambiguities of, 274; demographic patterns of, 249–50; EBP for, 257; ecological approach, 250–51; family group decisionmaking approaches and, 257; home visiting, 258; The Incredible Years, 261; indicated prevention, 259; intergenerational effects, 254; mandatory reporting of, 274; MST, 260–61; multidimensional biopsychosocial assessment for, 257; parental risk factors, 253; parental substance abuse and, 277; parent-child interaction, 253, 254–55; PCIT for, 260; poverty and, 252; programs and social work contributions, 17, 256; Project SafeCare, 260; public health prevention framework, 257; race and ethnicity, 250; resiliencies and protective factors, 255–56; selective prevention, 258; societal context, 250–52; survivors of, 255–56; TF-CBT for, 259–60, 263; universal prevention, 257–58; vulnerabilities and risk factors, 252–55. *See also* foster care
- Child Abuse Prevention and Treatment Act (CAPTA) (1974), 248, 273–74
- Child and Family Service Reviews (CFSRs), 275–76
- Child and Family Services Improvement and Innovation Act (2011), 276
- Childhood Autism Rating Scale (CARS), 84
- childhood disintegrative disorder, 73
- childhood poverty rate, 4, 17
- childhood trauma, 99, 102, 103, 124
- Child Maltreatment*, 2010, 249
- child protective service (CPS) systems, 248–49, 256, 264
- children, 5; chronic physical illness of, 182; of color, foster care disparity of, 278; depression in, 118; in foster care, high-risk behaviors of, 278; immigrant, 280, 373, 376; mortality rates, 11; orphaned by AIDS, 42; with special needs, bias-based bullying of, 230; as survivors of terrorism, 495
- Children of the Storm: Black Children and American Child Welfare* (Billingsley and Giovannoni), 278

- children's advocacy centers (CACs), 256–57, 295, 306
- Children's Aid Society, Carrera Program of, 218
- Children's Aid Society, New York, 269
- Children's Bureau, of DHHS, 271
- Children's Defense Fund (CDF) Report, 272
- Children's Home Society, 269
- Child Welfare League of America, 279–80
- Child Welfare Organizing Project (CWOP), New York City, 280
- child welfare services, 261; AIDS and, 46; parental involvement in, 280; social workers, 256, 281, 306
- Christian Right, 324
- chronic physical illness and disability, 179–201; activity camps, 193; acute illness compared to, 180; bereavement counseling for, 190; case illustration and discussion, 194–95; CBT for, 191; children and, 182; coping strategies for, 187, 188; defining and explaining, 180–82; demographic patterns, 182–83; education, 185–86; family caregivers and, 185; family therapy, 193; functional and/or visible limitations, 186; gender and, 186; health care system, U.S., 183; holistic and comprehensive focus on, 183; individual psychotherapy for, 192–93; individual's thoughts about, 188; in-home support for, 193; interdisciplinary team for, 190–91; Internet research, 184–85; MBT for, 191–92; medical insurance for, 183; mental health and, 186–87; MFGT for, 193–94; multiple conditions of, 182; older persons and, 186; patient and family-centered care initiative, 189–90; phase or stage of illness, 181; professionals' relationship to client, 187–88; programs and social work contributions, 189–94; PST for, 191; psychoeducation for, 192; psychological symptoms in response to, 186–87; psychosocial approach to, 179–80; quality-of-life issues, 184; resiliencies and protective factors, 188–89; social context, 183–85; social support for, 184, 187, 188–89; sociocultural shifts for, 180; support groups for, 192; treatment response, 184; U.S. values and, 183–84; vulnerabilities and risk factors, 185–88
- CIDT. *See* cruel, inhuman, and degrading treatment
- Circle of Courage assessment, 554
- “Client Self-Determination in End-of-Life Decisions,” of NASW, 465
- Clinician-Administered PTSD Scale (CAPS), 456
- Clinton, Bill, 8
- CMHS. *See* Center for Mental Health Services
- Code of Ethics, of NASW, 339–40, 451, 492
- Code of Federal Regulations, U.S., 485
- cognitive-analytic therapy, time-limited, 109
- cognitive behavioral therapy (CBT), 16, 58, 65, 296; for chronic illness, 191; for depression, 132–33; schizophrenia and, 165; for servicewomen, veterans, 453; for survivors of terrorism, 496–97; for survivors of torture, 522, 524, 527. *See also* trauma-focused cognitive behavioral therapy
- cognitive processing therapy (CPT), 457; for servicewomen, veterans, 453
- cognitive remediation, 166–69
- cognitive skills, TF-CBT and, 264
- cognitive style theory of depression, by Beck, 125
- Columbia-Suicide Severity Rating Scale (C-SSRS), 475
- Combating Autism Act (2006), 82
- Combating Autism Reauthorization Act (CARA) (2011), 82
- coming-out process, for gay and lesbian persons, 335–36
- communities of color, 566–67
- Community-Based Abstinence Education program, 210
- community-based organizations (CBOs), 537, 545–48, 551, 552
- community-based programs: for adolescent pregnancy, 218; for PLWAs, 41
- community health centers (CHCs), 547
- Community Mental Health Act (1963), 161, 349
- Community Mental Health Centers Construction Act, 350
- Community Partners Project (CPP), 571–72
- community risk factors: for child abuse and neglect, 253, 255; for young men of color, 544
- community violence: poverty and, 12–14; race and ethnicity, 13
- complicated grief, 311–12
- Comprehensive Soldier Fitness (CSF) program, 450
- concurrent planning, 275
- Congressional Social Work Caucus (CSWC), 491
- Consolidate Appropriations Act (2010), Teen Pregnancy Prevention Initiative of, 216
- Continuum of Care programs, 346, 357–58
- contraception, of adolescents, 209, 210, 211
- control theory, 291–92
- Convention Against Torture and other Cruel, Inhuman or Degrading Treatment or Punishment, UNCAT, 510
- co-occurring diagnoses, autism spectrum and, 77
- coping strategies, 23; assessment and interventions of, 20; for chronic physical illness and disability, 187, 188; for depression, 127; for eating problems, 142, 146; of immigrants and refugees, 380; intimate partner abuse, 401; for PLWAs, 44; skills as protective factor, 14; for women of color, 567
- Council on Social Work Education (CSWE), on gay and lesbian persons, 325
- covert aggression, 227
- CPP. *See* Community Partners Project
- CPS. *See* child protective service
- CPT. *See* cognitive processing therapy
- CRAFFT test, 554
- crime victims and victim services, 3, 26, 289–300; acute stress disorder, 290; assessment and interventions, 295–96; attributions of, 291; case illustration and discussion, 296–98; children's advocacy

- crime victims and victim services
(*continued*)
centers, 295, 306; control theory, 291–92; cost of, 290–91; crisis intervention unit, 293–94; defining and explaining, 289–90; demographic patterns, 290; domestic violence shelters, 294–95, 402; hate crimes against gay and lesbian persons, 322; just-world theory, 291; programs and social work contributions, 292–95; prosecutor-based victim/witness assistance programs, 289–90, 292–93; resiliencies and protective factors, 292; restorative justice and, 291, 537; revictimization rates, 289, 291; sexual assault, 292; sexual assault centers, 294–95; societal context of, 290–91; victim blaming, 289; victim compensation programs, 292; victim service program, 289, 293–94; vulnerabilities and risk factors, 291–92
- Criminal Code, U.S., on terrorism, 485
- Crisis Counseling Program, of FEMA, 499
- crisis intervention teams, 41, 293–94, 307, 496
- crisis intervention theory, 283
- critical consciousness, of women of color, 575–76
- Critical Incident Stress Debriefing, 495
- Critical Time Intervention (CTI), 166; for homeless people, 359
- Crossing the Quality Chasm: A New Health System for the 21st Century*, of IOM, 189–90
- cruel, inhuman, and degrading treatment (CIDT), 514
- CSF. *See* Comprehensive Soldier Fitness program
- C-SSRS. *See* Columbia-Suicide Severity Rating Scale
- CSWC. *See* Congressional Social Work Caucus
- CSWE. *See* Council on Social Work Education
- CTI. *See* Critical Time Intervention
- cultural competence, NASW on, 500–501
- cultural identity, 312–13
- cultural sensitivity and responsiveness, 280, 453
- cultural survivors of torture, 516, 520
- culture shock, 377
- cumulative stress, 4, 10
- curriculum-based education programs, for adolescent pregnancy, 217
- CWOP. *See* Child Welfare Organizing Project
- cyberbullying, 227–28; bias-based, 231; characteristics of, 230; disclosure of, 236; interventions for, 236; prevalence of, 229–30; research on, 237
- cycle of coercion, child abuse and neglect and, 254
- cyclothymic disorder, 120
- Danger Assessment, 397
- Danger Assessment for Immigrant Women, 408
- DBT. *See* dialectical behavioral therapy
- DD. *See* dysthymic disorder
- death: of adolescents, 306; stigmatized, AIDS and, 36, 44; of young men of color, 538, 540
- death in family, 301–17; assessment and interventions, 308–13; bereavement counseling for, 304, 306, 313, 315, 316; bereavement counselors, 310–11; case illustration and discussion, 313–15; child advocacy center and, 306; of children, 302, 305–6; children's response to, 302; child welfare social workers and, 306; crisis teams and, 307; cultural identity and, 312–13; defining and explaining, 301–2; demographic patterns, 302–3; functional unit of family for, 304; grandparents, 301; grief symptoms, 304; hospice care for, 305; of military, 307–8; military social workers, 308; mourning process, 303; of parent, 301–2; programs and social work contributions, 304–8; religion and spirituality, 311, 312–13; school social workers and, 306–7; of sibling survivors, 303; societal context, 303; by violent circumstances, 304; vulnerabilities and risk factors, 303–4; Webb's Tripartite Assessment, 301, 308–9, 315
- Declaration of Tokyo (1975), 510
- deductive reasoning, 21
- defensive structure, of BPD, 97–98
- Deficit Reduction Act (DRA) (2005), 9
- demographic patterns: addictive behavior disorders, 58–59; adolescent pregnancy, 206–9; autism spectrum, 75–76; BPD, 101–2; bullying, 228–31; of child abuse and neglect, 249–50; chronic physical illness and disability, 182–83; crime victims and victim services, 290; death in family, 302–3; depression, 121; eating problems, 145; end-of-life care, 182–83; foster care, 271–72; gay and lesbian persons, 320–21; homeless people, 347–49; immigrants and refugees, 372–74; intimate partner abuse, 393–96; of life conditions, 4–6; older persons in need of long-term care, 416–20; of poverty, 3–5; of schizophrenia, 162–64; social work practices and, 4–6; suicide and suicidal behavior, 465–70; terrorism, survivors and victims of, 485–587; torture, survivors of, 511–13; veterans, 443–44; women of color, 562–64; young men of color, 537–41
- Demonstration Grants, of EPIAA, 82
- Department of Defense (DoD), U.S., 450; on military sexual assault, 445–46
- Department of Health and Human Services (DHHS), U.S.: ACF of, 271; on child abuse and neglect, 249; Children's Bureau of, 271; on cultural competence for disaster mental health programs, 501; HomVEE study by, 258–59; on TANF recipients, 9
- Department of Homeland Security, U.S. (DHS), 375; on asylum seekers and refugees, 511; on expedited removal, of immigrants, 376
- Department of Housing and Urban Development, U.S.: AHAR of, 347, 353; on prevention programs, 357
- Department of Justice (DOJ), U.S., 494; NCVS report by, 290
- Department of Veterans Affairs, U.S., 352; on suicide, 463, 470
- depression, 117–40; ABC model of, 120; adjustment disorder, 119; in adolescents and, 117, 118, 121, 123, 212; AIDS and, 38, 39;

- depression (*continued*)
 assessment and interventions, 117–18, 129–33; biological vulnerability for, 122; bipolar depression, 119–20; BRFSS on, 121–22; case illustration and discussion, 133–35; CBT for, 132–33; childhood trauma and, 124; in children, 118; of children targeted by bullying, 232; chronic life stressors and, 124–25; cognitive dimensions of, 118; cognitive style and, 125; coping strategies for, 127; cyclothymic disorder, 120; DD, 119, 121; defining and explaining, 117–20; demographic patterns, 121; divorce and, 123, 124; dopamine and, 2; eating disorders and, 146; family and, 120, 122–24, 126; gender and, 121, 123, 126; genetic linkages, 1, 122–23; by geographic location, 121; intimate partner abuse, 124, 404; IPT for, 131–32; levels of care for, 129; MDD, 118–19, 121; medical condition, 119, 120; medication for, 129–30; negativistic thinking and, 125; older persons and, 121; physical (somatic) dimension, 123, 126; programs and social work contributions, 127–29; religious beliefs and, 127; resiliencies and protective factors, 125–27; social learning, 123; social support for, 126; societal context, 121–22; standardized tools for, 118; substance abuse and, 117, 119, 120; suicide and, 117; survivors of terrorism and, 495; of survivors of torture, 515; vulnerabilities and risk factors, 122–25; WHO on, 117
- desensitization techniques, for autism spectrum, 85
- detoxification, 63
- DFI. *See* Durham Family Initiative
- DHHS. *See* Department of Health and Human Services
- DHS. *See* Department of Homeland Security, U.S.
- Diagnostic and Statistical Manual (DSM)*: acute stress disorder and, 290; on personality disorders, 96; on PTSD, 290
- Diagnostic and Statistical Manual of Mental Disorders: DSM-IV-TR*:
 on age-related cognitive disorders, 420; on anorexia nervosa and bulimia nervosa, 143; on depression, 117–18; on PTSD, 515; on schizophrenia, 160, 161
- Diagnostic and Statistical Manual of Mental Disorders: DSM-5*:
 on autism spectrum, 74–75; on binge eating disorder, 143; on BPD, 96, 100–101
- dialectical behavioral therapy (DBT), 108–9; emotion dysregulation, 108; invalidating environment, 108; for suicide, 474
- didactic-oriented group programs, 41
- disabling grief, 311
- diversity: of immigrants and refugees, 374, 380; NASW Code of Ethics on, 492; neurodiversity of autism spectrum, 76; of women of color, 561–62
- divorce: depression and, 123, 124; rate, of parents of autism spectrum, 78
- Dix, Dorothea, 161
- DoD. *See* Department of Defense
- DOJ. *See* Department of Justice
- domestic violence, 392;
 homelessness and, 352; shelters, 294–95, 402
- Domestic Violence Survivor Assessment (DVSA), 401
- “Don’t Ask, Don’t Tell” policy, 448–49
- DRA. *See* Deficit Reduction Act
- drug addictions. *See* alcoholism and other drug addictions; substance abuse
- drugs and drug subcultures, 26
- Dubos, Renee, 34
- Durham Family Initiative (DFI), 258
- DVSA. *See* Domestic Violence Survivor Assessment
- dysfunctional interpersonal processes, 18–19
- dysthymic disorder (DD), 119, 121
- EAPs. *See* employee assistance programs
- eating problems, 141–59; in adolescents, 145, 147, 151; affect regulation and impulse control, 142; alexithymia and, 147; assessment and interventions, 149–53; case illustration and discussion, 153–56; coping strategies for, 142, 146; defining and explaining, 143–45; demographic patterns, 145; family and, 146, 147, 148, 151; group work for, 149, 150; hospitalization, 149, 150; individual counseling, 149, 150; Maudsley model for, 149; medications for, 149; programs and social work contributions, 148–49; resiliencies and protective factors, 148; self-regulation and, 152; societal context, 145–46; symptom-focused dynamic psychotherapy, 143; symptoms of, 143, 148; vulnerabilities and risk factors, 146–47. *See also* anorexia nervosa; binge eating disorder; bulimia nervosa; obesity
- EBP. *See* evidence-based practices
- ecological systems theory: of bullying, 231; for child abuse and neglect, 250–51; on survivors of terrorism, 494–95; techno-subsystem in, 231
- economic conditions, societal context of, 6–7
- ecosystems perspective, for young men of color, 550
- education: chronic physical illness and disability, 185–86; curriculum-based, on adolescent pregnancy, 217; employment and, 8; social worker, on AIDS, 37; of social workers, on survivors of torture, 519; SRH, 542; of young men of color, 541
- effective questioning, 550
- ego psychology approach, for BPD treatment, 98
- Elton John AIDS Foundation, 548
- emergency shelters, for homeless people, 357–58
- Emerging Answers 2007*, 217
- emotional object constancy, 152
- emotion dysregulation, 108
- empathic reflection, 549
- employee assistance programs (EAPs), for survivors of terrorism, 492
- employment: education and, 8; migration and, 379; poor and low-income neighborhoods and, 10; supported, for schizophrenia, 168

- empowerment: for autism spectrum, 74; of women of color, 569–670; for young men of color, 548–49
- enabling, 23
- end-of-life care, 179–201; case illustration and discussion, 194–95; defining and explaining, 180–82; demographic patterns, 182–83; hospice and palliative care, 181–82; programs and social work contributions, 189–94; resiliencies and protective factors, 188–89; social context, 183–85; vulnerabilities and risk factors, 185–88
- English Poor Law, 269
- enhanced safety plan, in TF-CBT, 265
- environmental change, 17, 18
- environmental resources, 14, 21, 22; assessment of, 19–20; change and, 17, 18; as protective factor, 15
- environments: exchanges within, 4; social and physical, 19
- EOB. *See* explanation of benefits
- EPIAA. *See* Expanding the Promise of Individuals with Autism Act
- evidence-based practices (EBP): for addictive behavior disorders, 65–66; for autism spectrum, 84–85, 85; for child abuse and neglect, 257; for survivors of terrorism, 496–97
- exceptionalism, for PLWAs, 41
- Expanding the Promise of Individuals with Autism Act (EPIAA) (2007), 82
- expedited removal, of immigrants, 376
- explanation of benefits (EOB) statements, 211
- external support, as protective factor, 15
- family: caregivers, 126, 185; characteristics, adolescent pregnancy and, 206, 212–13; depression and, 120, 122–24, 126; dynamics, for bulimia nervosa, 2; eating problems and, 146, 147, 148, 151; group decisionmaking approaches for, 257; immigrants, refugees and, 372, 375, 381; income of, health of children and, 10–11; psychoeducation, for schizophrenia, 168; risk factors, for young men of color, 543; schizophrenia and, 162; survivors of torture and, 516; systems, of gay and lesbian persons, 325–26. *See also* death in family; parents
- family factors: as protective factor, 15; societal context of, 9–10
- family functional unit, for death in family, 304
- Family Planning, Access, Care, and Treatment (PACT) program, of California, 217
- family planning programs, 210, 546
- Family Research Council, 324
- family structure: poverty and, 5; protective factors and, 15
- family therapy: for AIDS, 42; for chronic illness, 193; MFGT, 193–94
- Family-to-Family Education program, for schizophrenia, 169
- Family to Family Initiative, of Annie E. Casey Foundation, 280, 282
- fatherhood, of adolescents, 207–8
- FBI. *See* Federal Bureau of Investigation
- Federal Bureau of Investigation (FBI): on terrorism, 485; Uniform Crime Reporting, 26
- Federal Emergency Management Agency (FEMA), Crisis Counseling Program of, 499
- Federal Violence Against Women Act (1994), 289
- FEMA. *See* Federal Emergency Management Agency
- feminist perspective, on intimate partner abuse, 393, 396–97
- fetal alcohol syndrome, 2
- FOCUS project, 450
- foreclosure, homeless people and, 345, 347, 352
- foster care, 269–88; adolescent pregnancy of teens in, 213; adolescents in, 272; assessment and interventions, 283–84; case illustration and discussion, 284–86; characteristics of children in, 273, 276–77; children of color disproportionality and disparity in, 278; comprehensive service plan for, 283; cultural sensitivity and, 280; defining and explaining, 269–71; demographic patterns, 271–72; disruptions, 278; gender and, 271; high risk behaviors of children in, 279; historical background of, 269; homeless children and, 277, 354; immigrant children and youth, 280; kinship, 270, 272, 280; McKinney-Vento program and, 280–81; permanency planning and, 270–71, 279; placement prevention, 274; poverty and, 273, 277, 278; programs and social work contributions, 281–82; resiliencies and protective factors, 279–81; school performance and, 277–78; societal context, 272–76; trauma and, 278–79; vulnerabilities and risk factors, 276–79
- Foster Care and Adoption Assistance Program, Title IV-E, 273
- Foster Care Independence Act (1999), 275
- Fostering Connections to Success and Increasing Adoptions Act (2008), 273, 276
- Fountain House, 166, 167
- frail elderly, 415–16
- Fresh Youth Initiatives (FYI), 544
- Garrett Lee Smith Grant Program, 472
- Gault decision, by Supreme Court, 537
- Gay, Lesbian, and Straight Education Network (GLSEN), 324–25, 331
- gay and lesbian persons, 36, 318–44; adulthood, 321, 327–28, 331; assessment and interventions, 334–38; case illustration and discussion, 338–39; coming-out process, 335–36; defining and explaining, 318–20; demographic patterns, 320–21; economic sector, 323; educational systems, 330–31; family systems, 325–26; hate crimes against, 322; HIV infection of, 328, 333; homelessness and, 354; institutions of learning, 324–25; legal remedies/system for, 322–24; nonfamily households, 320–21; nongay parents of, 325–26; in nongay world, 318–20; old age, 321, 328–29, 331; partner abuse, 328, 337;

- gay and lesbian persons (*continued*)
 poverty of, 321; programs and social work contributions, 331–33; religious community, 318–19, 323–24; research data realities, 319; resiliencies and protective factors, 330–31; risk factors for, 326–30; same-sex marriages, 324; societal context, 321–26; substance abuse of, 328; suicide of, 469; torture of, 509; vulnerabilities and risk factors, 326–30; workplace discrimination against, 323. *See also* lesbian, gay, bisexual, transgendered, and questioning youth
- Gay Men's Health Crisis, in New York City, 41
- GED PLUS program, 555
- GED programs, 545, 547
- gender: anorexia nervosa and, 146; bulimia nervosa and, 146; bullying and, 228–29; chronic physical illness and, 186; depression and, 121, 123, 126; foster care and, 271; intimate partner abuse and, 393, 395, 396; of older persons, 417; suicide and suicidal behavior or, 466, 470–71; veterans and, 441–43
- genetic linkages: for alcoholism and other drug addictions, 1, 61; to autism spectrum, 76; for bipolar disorder, 1; BPD, 2, 98–99; depression, 1, 122–23; for obesity, 2; for schizophrenia, 1, 162
- Giovannoni, Jeanne, 278
- Global South countries, 563–64
- GLSEN. *See* Gay, Lesbian, and Straight Education Network
- goodness of fit, 551
- Grandin, Temple, 75, 85–86
- Great Depression, 349
- Great Recession, 7
- grief: complicated, 311–12; disabling, 311; work, for AIDS, 51. *See also* bereavement counseling
- group therapy, 149, 150, 193–94, 524
- guiding interventions, 23
- Gutmacher Institute, 209
- harm/loss, 20
- harm reduction therapy, 72
- Harrison Act (1914), 55
- Head Start, 257
- health: of adolescents, 209; challenges, of women of color, 565; needs, of young men of color, 535–36, 541; physical outcome, of intimate partner abuse, 397; promotion of, 17, 18; race and ethnicity, 10–11; of returning servicewomen, veterans, 446. *See also* mental health
- health of children: family income and, 10–11; preventative medical care and, 11
- Health Survey for Adolescents, 220
- Healthy Bodegas, Green Carts, and Health Bucks programs, 543, 544
- Healthy Families America (HFA), 258–59
- Healthy Monday Campaign, 548
- HEARTH. *See* Homeless Emergency Assistance and Rapid Transition to Housing Act
- heroic humanitarianism in PLWAs' AIDS work, 40–41
- heterosexual assumptions, by social workers, 333
- HFA. *See* Healthy Families America
- Hispanics: cultural factors, 10; demographics, 5–6; depression and, 121; HIV, 12; life circumstances, 6–8; older persons, 417; suicide of, 467
- HIV. *See* human immunodeficiency virus
- HMIS. *See* Homeless Management Information Systems
- home care services, for older persons in need of long-term care, 425–26
- Homeland Security Advisory System (HSAS), 488
- homeless children, 347, 351–52, 356; foster placement and, 277, 354; gay and lesbian, 327; McKinney-Vento program for, 280–81
- Homeless Emergency Assistance and Rapid Transition to Housing (HEARTH) Act, 346
- Homeless Management Information Systems (HMIS) data, 347–48
- homeless people, 345–65; AIDS/HIV and, 36, 42; assessment and interventions, 358–59; case illustration and discussion, 360–61; causes of, 345, 352; children and, 347, 351–52, 356; defining and explaining, 346–47; demographic patterns, 347–49; domestic violence, 352; emergency shelters, 357–58; foreclosure, 345, 347, 352; foster care and, 354; gay and lesbian people, 354; historical perspective, 349–50; housing subsidies, 357; incarceration and, 353–54; Internet and, 356; mental health and, 348–51; people with disabilities, 352; Point-In-Time data on, 347–48, 352–53; poverty and, 345; prevention programs, 356–57; programs and social work contributions, 356–58; race and ethnicity of, 348; resiliencies and protective factors, 354–56; rural communities, 349, 356; social estrangement model, 355; societal context, 349–50; substance abuse and, 348, 351; veterans and, 352–53; violence against, 351; vulnerabilities and risk factors, 350–54
- home visiting, 258
- homicide: in intimate partner abuse, 395, 397; rate of, 13
- homophobia, 319–22; institutional, 322–25, 331–33, 336; internal, 322, 330, 332; religious community and, 324
- homosexual persons: NASW on, 319; societal prejudice against, 36
- HomVEE study, by DHHS, 258–59
- hospice care, 181–82, 305
- Housing First, 359
- housing subsidies, 357
- HRC. *See* Human Rights Campaign
- HSAS. *See* Homeland Security Advisory System
- H-SLIDER program, of National Guard, 450
- human immunodeficiency virus (HIV), 33–35, 40; CDC on, 12, 35–36; of gay and lesbian persons, 328, 333; of homeless people, 36, 42; scientific knowledge about, 38; testing for, 38; transmission of, 37. *See also* acquired immune deficiency syndrome
- humanitarian forces, for immigrants and refugees, 374, 375, 377
- Human Rights Campaign (HRC), 323
- Human Rights Watch report, 375; torture documentation, 512
- humor, as protective factor, 15–16

- ICD. *See International Classification of Diseases*
- ICE. *See Immigration Customs and Enforcement*
- IDDT. *See Integrated Dual Disorder Treatment*
- IDPs. *See internally displaced persons*
- IDUs. *See intravenous drug users*
- IEPs. *See Individual Educational Plans*
- IES. *See Impact Event Scale*
- IIRIRA. *See Illegal Immigration Reform and Immigrant Responsibility Act*
- Illegal Immigration Reform and Immigrant Responsibility Act (IIRIRA) (1996), 374–75
- Illness Management and Recovery (IMR), 166, 168, 171, 172
- immigrants and refugees, 163, 366–91; acculturation, 380–81; assessment and interventions, 383–84; case illustration and discussion, 385–87; children and youth, in foster care, 280; children of, 280, 373, 376; concentration of, 373; coping strategies of, 380; culture shock, 377; defining and explaining, 367–72; demographic patterns, 372–74; employment and, 379; ethnic communities, 381; expedited removal of, 376; family and social support, 381; humanitarian forces, 374, 375, 377; language and, 379–80; LPR, 372; mixed-status family, 372, 375; physical and social environments, 378; poverty and, 373–74, 379; premigration/departure stage, 383–84; programs and social work contributions, 382–83; public benefits restrictions for, 374–75; race and ethnic diversity of, 374, 380; re-creation of identity, 379–81; remittances of, 371; resettlement stage, 384; resiliencies and protective factors, 380–82; self-help activities, 382; settlement houses, 382; social service agencies, 382–83; societal context, 374–77; suicide of, 468–69; survivors of torture, 409; torture and, 510, 521; transit/intermediate country stage, 384; undocumented/unauthorized, 372; voluntary agencies, 382; vulnerabilities and risk factors, 377–80; women immigrants, 378–79
- immigration and acculturation: BPD and, 107–8; schizophrenia and, 163
- Immigration Customs and Enforcement (ICE), 375, 376
- Impact Event Scale (IES), 456
- IMR. *See Illness Management and Recovery*
- incarceration, 3; of homeless people, 353–54; of young men of color, 541, 546
- The Incredible Years, for child abuse and neglect, 261
- independent living paradigm, 74
- indicated prevention, for child abuse and neglect, 259
- Individual Educational Plans (IEPs), for autism spectrum, 79
- Individuals with Disabilities Education Act (2004), 82
- individual therapy and psychotherapy, 149, 150, 192–93
- inductive reasoning, 21
- in-home services and support, 193, 283
- Initiative on Depression and Primary Care, of MacArthur Foundation, 128
- Institute of Medicine (IOM): health care report of, 189–90; on MMR vaccine and autism, 77
- institutional homophobia, 322–25, 331–33, 336
- Integrated Dual Disorder Treatment (IDDT)*, 128–29, 166, 167
- interdisciplinary team, for chronic physical illness, 190–91
- internal homophobia, 322, 330, 332, 337
- internally displaced persons (IDPs), 511
- International Classification of Diseases (ICD)*, on BPD, 96
- International Criminal Court, 513
- International Criminal Tribunals for Rwanda, 513
- international expert consensus group, after 9/11, 498–99
- International Society for Traumatic Stress Specialists, 499
- Internet: homeless people and, 356; research, on chronic physical illness and disability, 184–85
- interpersonal psychotherapy (IPT), 131–32
- interpersonal relationships, 19
- intersectionality, 564–65
- interventions, 18–24; enabling, 23; guiding, 23; interpretation and, 24–25. *See also* assessment and interventions
- intimate partner abuse, 3, 392–414; advocacy interventions, 403; assessment and interventions, 404–7; case illustration and discussion, 407–10; child witnesses services, 403–4; coping strategies, 401; defining and explaining, 392–93; demographic patterns, 393–96; depression and, 124, 404; expressive aggression, 394; family violence perspective, 393; feminist perspective on, 393, 396–97; gender and, 393, 395, 396; historical perspective of, 396; homicide, 395, 397; marital rape, 394; mental health and, 398, 399, 407; physical health outcome, 397; posttraumatic therapy, 406; pregnancy coercion, 394; programs and social work contributions, 17, 402–4; PTSD, 398, 409; race and ethnicity and, 395–96; resiliencies and protective factors, 399–402; revictimization, 291, 398–99; safety planning, 405–6; services for abused women/partners, 403; servicewomen, veterans and, 443, 448; social support, 400; societal context, 396–97; socioeconomic status and, 396; stalking, 394–95; substance abuse and, 398, 406–7; survivor therapy, 407; tangible resources, 400; TTM of Change, 400–401; universal screening for, 402; vulnerabilities and risk factors, 397–99
- intimate partner rape, 394
- intimate terrorism, 393, 395
- intravenous drug users (IDUs), 35, 46
- invalidating environment, 108
- in-vivo desensitization phase, of TF-CBT, 264
- IOM. *See* Institute of Medicine
- IPT. *See* interpersonal psychotherapy

- Iranians prisoners, sexual torture of, 512
- Istanbul Protocol, 520
- It's your game. Keep it real*
intervention, for adolescents, 217
- Jedd Foundation, 472
- JJ. *See* juvenile justice
- John Birch Society, 324
- John H. Chafee Foster Care Independence Program, 275
- John Hopkins University, 73
- Jordan Matthew Porco Memorial Foundation, 473
- just practice, by social workers, 256
- just-world theory, 291
- juvenile justice (JJ) policies, 537, 538
- Kanstroom, Daniel, 374
- Keeping Children and Families Safe Act (2003), 248
- Kennedy, John F., 350
- Kids Count Data Book 2011*, 251
- kinship foster care, 270, 272, 280
- Kraepelin, Emil, 160, 161
- Ku Klux Klan, 324
- language, of immigrants and refugees, 379–80
- Lazarus effect, 39
- learned helplessness, 125
- Lee, Everett, 367
- legal or lawful permanent resident (LPR), 372
- legislation, societal context of, 8–9
- Lenhard-Goehner, Amy, 81
- lesbian, gay, bisexual, transgendered, and questioning (LGBTQ) people. *See* gay and lesbian persons
- lesbian, gay, bisexual, transgendered, and questioning (LGBTQ) youth, 325–27, 330–31, 541; bias-based bullying of, 230, 233, 236–37; suicide of, 469
- LGBTQ. *See* lesbian, gay, bisexual, transgendered, and questioning youth
- life conditions: circumstances, events, social work practices and, 2–6; defining, 1–3; demographic patterns of, 4–6; genetic linkages to, 1; neurochemical imbalances and, 2; supportive environments for, 2–3. *See also* societal context of life conditions
- life expectancy, 11
- Lifeline, 355
- Life Model, 34, 428–29, 493, 520
- life stressors: dysfunctional interpersonal processes, 18–19; environmental pressures, 20–22; transitions and traumatic events, 18
- Linehan, Marsha, 108
- Link-Up, 355
- long-term-care facilities, 416, 424–25
- lower-income job loss, 8
- LPR. *See* legal or lawful permanent resident
- MacArthur Foundation: Initiative on Depression and Primary Care, 128; TCM, 128
- Mailman School of Public Health (MSPH), Columbia University, 552
- major depressive disorder (MDD), 118–19, 121
- major depressive episode (MDE), 540
- managed care, social work programs impact from, 16
- mandatory reporting, 274
- MAOIs. *See* monoamine oxidase inhibitors
- marital stability, of veterans and servicewomen, 447–48
- masculinity beliefs, 543
- Mathematica and Child Trends, adolescent pregnancy review by, 216
- Mathematica Policy Research, on teen sexual behavior, 210
- Matthew Shepard and James Byrd, Jr. Hate Crimes Prevention Act (2012), 322
- Maudsley model, for eating problems, 149
- MBT. *See* mindfulness-based therapy
- M-CHAT. *See* Modified Checklist for Autism in Toddlers
- McKinney-Vento Homeless Assistance Act (1987), 346
- McKinney-Vento program, homeless children and, 280–81
- McLean Screening Instrument for Borderline Personality Disorder (MSI-BPD), 105
- MDD. *See* major depressive disorder
- MDE. *See* major depressive episode
- MDQ. *See* Mood Disorder Questionnaire
- measles-mumps-rubella (MMR) vaccine, autism spectrum and, 77
- media: adolescents influence by, 209–10; suppression of torture, 513; on terrorism, 488
- Medicaid, 9, 215, 374
- medical condition, depression for, 119, 120
- medicalization of disability, 74
- medical social workers, 3–5, 306
- medication management, 128–31, 149, 170
- men. *See* fatherhood; gender; veterans; young men of color
- mental health: adolescent pregnancy and, 212; chronic physical illness and disability and, 186–87; homeless people and, 348–51; intimate partner abuse and, 398, 399, 407; morbidity, of young men of color, 536; of older persons in need of long-term care, 420; outcomes for women of color, 567, 569; services, 16; of survivors of torture, 523; of veterans and returning servicewomen, 447
- Mental Health Association, NYC, 9/11 terrorist attack and, 484
- Mental Health Parity and Addiction Equity Act (2008), 61
- men who have sex with men (MSM), 35. *See also* young men who have sex with men
- methadone maintenance, 62
- Metro Home and Hospital for Aged (MHHA), 429–36
- MFGT. *See* multi-family group therapy
- MHHA. *See* Metro Home and Hospital for Aged
- MHT. *See* mobile health team
- MI. *See* motivational interviewing
- microaggressions of women of color, 566
- microorganisms parasitic relations, AIDS and, 2
- migration: employment and, 379; new economy of, 368; push/pull theory of, 367; social network activity, 368; supply and demand for labor, 367–68; systems theory and, 368; transnational, 366, 367, 369–71; women's positions and, 378–79

- military: couples, phase-oriented therapy for, 452, 454–57; death in family of, 307–8; identity of servicewomen, 448; sexual trauma, 442–43, 445–46; social workers, 308. *See also* servicewomen; veterans
- Military Occupational Speciality (MOS), 442
- Miller, William, 57
- Miller v. Yoakim* (1979), 269–70
- mindfulness-based therapy (MBT), for chronic illness, 191–92
- Mississippi scale for Combat-PTSD, 456
- mixed-status family, 372, 375
- MMR. *See* measles-mumps-rubella
- mobile health team (MHT), 545
- Modified Checklist for Autism in Toddlers (M-CHAT), 83
- Monitoring the Future (MTF), 537–38
- monoamine oxidase inhibitors (MAOIs), 129–30
- Mood Disorder Questionnaire (MDQ), 105
- MOS. *See* Military Occupational Speciality
- motivational interviewing (MI), 65; for young men of color, 549
- MSI-BPD. *See* McLean Screening Instrument for Borderline Personality Disorder
- MSM. *See* men who have sex with men
- MSPH. *See* Mailman School of Public Health
- MSPH/NYP interventions, 552–56
- MST. *See* multi-systemic therapy
- MTF. *See* Monitoring the Future
- multidimensional perspective: of child abuse and neglect, 257; for women of color, 564–65
- multi-family group therapy (MFGT), for chronic illness, 193–94
- multi-systemic therapy (MST), 260–61
- multi-theoretical framework, for veterans, 453
- NA. *See* Narcotics Anonymous
- NAASP. *See* National Action Alliance for Suicide Prevention
- NAMI. *See* National Alliance on Mental Illness
- Narcotics Anonymous (NA), 47
- narrative expressive therapy, 524
- NASW. *See* National Association of Social Workers
- National Action Alliance for Suicide Prevention (NAASP), 473
- National Alliance on Mental Illness (NAMI): Peer-to-Peer program, 169; on schizophrenia, 162, 166
- National Association of Social Workers (NASW): on assisted suicide, 465; Code of Ethics, 339–40, 451, 492; on cultural competence, 500–501; on homosexuality, 319; against torture, 519
- National Campaign to Prevent Teen and Unplanned Pregnancy, 206; updates from, 217
- National Center for Health Statistics, on chronic illness, 180–81
- National Center for PTSD, 499, 500
- National Center for Trauma-Informed Care, of SAMHSA, 496
- National Center on Child Abuse and Neglect, 273
- National Child Traumatic Stress Network, 279, 500; FOCUS project, 450
- National Comorbidity Survey (NCS), on depression, 121
- National Consensus Project for Quality Palliative Care, 182
- National Crime Victimization Survey (NCVS), 290
- National Depression Screening Day (NDSD), 128
- National Gay and Lesbian Task Force (NGLTF), 323
- National Guard, H-SLIDER program of, 450
- National Hospice and Palliative Care Organization, 181
- National Incidence Study*, 2010 (NIS), 249
- National Institute on Alcohol Abuse and Alcoholism, 65
- National Institute on Drug Abuse, 54, 65, 66
- National Intimate Partner and Sexual Violence Survey (NISVS), 393–96
- National Latino and Asian American Study (NLAAS), 468
- National Longitudinal Study of Adolescent Health (Add Health), 537–38
- National Low Income Housing Coalition, 350
- National Military Families Association, 457
- National Opinion Research Center (NORC), on gay and lesbian persons, 322
- National Professional Development Center (NPDC), on autism spectrum, 84
- National Registry of Evidence-Based Programs and Practices (NREPP), 474
- National School Climate Survey, 538
- National Strategy for Suicide Prevention (NSSPP): on assisted suicide, 465; on suicide variants, 462–63
- National Survey of Drug Use and Health (NSDUH), 538
- National Terrorism Advisory System (NTAS), 488
- Native Americans, 467–68
- NCANS data, on child abuse and neglect, 249–50
- NCS. *See* National Comorbidity Survey
- NCVS. *See* National Crime Victimization Survey
- NDSD. *See* National Depression Screening Day
- negativistic thinking, depression and, 125
- neighborhoods, poor and low-income, 10
- neurochemical imbalances, 2
- neurodiversity movement, 76
- New Deal, 349
- New York Association for New Americans (NYANA), 382
- New York-Presbyterian Hospital (NYP), 552
- NGLTF. *See* National Gay and Lesbian Task Force
- 9/11 terrorist attack, 484, 485, 488, 490, 498–99
- NIS. *See* *National Incidence Study*, 2010
- NISVS. *See* National Intimate Partner and Sexual Violence Survey
- NLAAS. *See* National Latino and Asian American Study
- non-suicidal self-directed violence, 463
- NORC. *See* National Opinion Research Center

- NPDC. *See* National Professional Development Center
- NREPP. *See* National Registry of Evidence-Based Programs and Practices
- NSDUH. *See* National Survey of Drug Use and Health
- NSSPP. *See* National Strategy for Suicide Prevention
- NTAS. *See* National Terrorism Advisory System
- NYANA. *See* New York Association for New Americans
- NYP. *See* New York-Presbyterian Hospital
- OAH. *See* Office of Adolescent Health
- Obama, Barack, 82, 215, 377
- obesity, 146; bias-based bullying and, 230, 233; genetic linkages, 2
- occupation therapy (OT), 82–83
- ODD. *See* oppositional defiant disorder
- OEF. *See* Operation Enduring Freedom
- Office for Refugee Resettlement (ORR), 511, 518
- Office for Victims of Crime (OVC), 494
- Office of Adolescent Health (OAH), 215–16
- Office of Adolescent Pregnancy Program, of Title VI, of Public Health Service Act, 215
- Office of Men's Health, 535
- OIF. *See* Operation Iraqi Freedom
- Oklahoma City bombing, 485
- older persons: with AIDS, 42; chronic physical illness and, 186; depression and, 121; gay and lesbian persons, 321, 328–29, 331; gender and, 417; living arrangements of, 417–18; race and ethnicity of, 417, 422; social isolation, 418
- older persons in need of long-term care, 415–40; adult day care, 425; assessment and interventions, 426–29; case illustration and discussion, 429–36; chronic conditions of, 419; defining and explaining, 415–16; demographic patterns, 416–20; ethnic minorities, 422; frail elderly, 415–16; home care services, 425–26; hospitals, 425; Life Model assessment tool, 428–29; long-term-care facilities, 416, 424–25; mental health of, 420; personal care activities, 416, 419; person-environment fit, 426–27; poverty and, 418–19, 422; programs and social work contributions, 424–26; reduced capacity for self-care, 419–20; rehabilitation programs, 425; resiliencies and protective factors, 423–24; social supports, 423; societal context, 420–23; vulnerabilities and risk factors, 421–23
- OND. *See* Operation New Dawn
- Operation Enduring Freedom (OEF), 443
- Operation Iraqi Freedom (OIF), 443
- Operation New Dawn (OND), 443
- oppositional defiant disorder (ODD), 106
- Oregon Death with Dignity Act (1994), 465
- ORR. *See* Office for Refugee Resettlement
- OT. *See* occupation therapy
- OVC. *See* Office for Victims of Crime
- overt aggression, 227
- PACT. *See* Family Planning, Access, Care, and Treatment program
- palliative care, 312; WHO on, 181–82
- Panetta, Leon, 459
- parens patriae, 537
- Parent-Child Interaction Treatment (PCIT), 260
- parent-child sessions, conjoint, in TF-CBT, 264–65
- parents: adolescent, 206, 208–9; of autism spectrum, divorce rate, 78; child abuse, neglect and, 253, 254–55, 277; death of, 301–2; involvement in child welfare services, 280; nongay, of gay and lesbian persons, 325–26; programs, for adolescent pregnancy, 218
- Parents, Families, and Friends of Lesbians and Gays (PFLAG), 326, 331
- patient and family-centered care initiative, 189–90
- patient and family council, for chronic illness, 190
- patient-related therapeutic alliance, for BPD, 109
- Patriot Act, 487
- PCIT. *See* Parent-Child Interaction Treatment
- PDM Task Force 2006. *See* *Psychodynamic Diagnostic Manual*
- peer group: AIDS and, 41, 49; autism spectrum relationships in, 79; bullying within, 231
- Peer-to-Peer program, of NAMI, 169
- people living with AIDS (PLWAs): community-based programs for, 41; coping strategies for, 44; exceptionalism for, 41; functional family of, 45; heroic humanitarianism in AIDS work, 40–41; movement impact, 39–40; poor treatment of, 33; social work practice with, 42, 45–46; survival strategies, 40
- permanency planning, 270–71, 279
- Perry, Troy, 324
- Personal Experience Screen Questionnaire (PESQ), 64–65
- personality conditions, genetic linkages, 1
- personality disorder: BPD as, 96; ethnicity and, 107
- personality trait theory, 57
- personal resources, 22
- Personal Responsibility and Work Opportunity Reconciliation Act (PRWORA) (1996), 8, 27n2, 374, 542
- Personal Responsibility Education Program, 216
- person-and-environment service approach, 179
- pervasive developmental disorder, 73
- PESQ. *See* Personal Experience Screen Questionnaire
- PFA. *See* psychological first aid
- PFA Guide. *See* *Psychological First Aid Field Operations Guide*
- PFLAG. *See* Parents, Families, and Friends of Lesbians and Gays
- phase-oriented therapy, for military couples, 452, 454–57
- physical illness, serious. *See* chronic physical illness and disability
- physical therapy (PT), 82–83
- Pinel, Phillipe, 161
- Planned Parenthood, 216
- planning: concurrent, 275; in making choices, 15; permanency, 270–71, 279; program, 547; as protective factor, 15; safety, for intimate partner abuse, 405–6

- PLWAs. *See* people living with AIDS
- Point-In-Time, data on homeless people, 347–48, 352–53
- population exposure model, on terrorism, 486–87
- PORT. *See* Schizophrenia Patient Outcome Research Team
- positive youth development (PYD), 536, 538
- postpartum depression, 123
- posttraumatic growth, 517–18
- posttraumatic stress disorder (PTSD), 13, 263, 290–92, 468; BPD relationship to, 99–100, 101; intimate partner abuse and, 398, 409; of servicewomen and veterans, 352, 443, 446, 447; social workers on, 296; of survivors of torture, 514–15; terrorism and, 489
- potentially traumatic events (PTEs), 517
- poverty, 6, 26; of adolescent parents, 206, 208–9; adolescent pregnancy and, 213; alcoholism and other drug addictions, 26; child abuse and neglect, 252; childhood, 4, 17; community violence and, 12–13; demographic patterns of, 3–5; family structure and, 5; of gay and lesbian persons, 321; health of children and, 10–11; homeless people and, 345; immigrants and, 373–74, 379; of older persons in need of long-term care, 418–19, 422; prolonged and cumulative stress from, 4, 10; of women of color, 562, 563, 565; of young men of color, 542. *See also* wealth
- power differentials, between social workers and clients, 23
- pregnancy: coercion, 394; of servicewomen, 446–47
- pregnancy prevention programs: for adolescent pregnancy, 216–17; federal funding for, 211
- pre-military trauma, 444–45
- preventative medical care, health of children and, 11
- prevention programs: for adolescent pregnancy, 211, 216–20; for child abuse and neglect, 257–58, 257–59; for homeless people, 356–57
- primary prevention, 16–17
- Problem-Oriented Screening Instrument for Teenagers, 220
- problem-solving therapy (PST), for chronic illness, 191
- program planning and development, 547
- programs and social work contributions: adolescent pregnancy, 215–20; autism spectrum, 82–83; BPD, 104; bullying, 234–35; child abuse and neglect, 256; chronic physical illness and disability, 189–94; death in family, 304–8; depression, 127–29; eating problems, 148–49; end-of-life care, 189–94; foster care, 281–82; homeless people, 356–58; immigrants and refugees, 382–83; intimate partner abuse, 17, 402–4; older persons in need of long-term care, 424–26; schizophrenia, 166–69; social work practices and, 16–18; suicide and suicidal behavior, 473–74; terrorism, survivors and victims of, 490–93; torture, survivors of, 518–19; veterans, 450–51; women of color, 569; young men of color, 545–50
- Project Liberty, 491
- Project SafeCare, 260
- Project STAY (Services to Assist Youth), 545, 548, 552
- prolonged stress, 4, 10
- prosecutor-based victim/witness assistance programs, 289–90, 292–93
- protective factors: for African Americans, 4; environmental resources, 14; external supports, 14; family patterns, 14; humor, 15–16; planning in making choices, 15; resiliencies and, 14–16; spirituality, 15; temperament, 14. *See also* resiliencies and protective factors
- PRWORA. *See* Personal Responsibility and Work Opportunity Reconciliation Act
- PST. *See* problem-solving therapy
- psychoanalytic treatment, 524; BPD and, 97
- Psychodynamic Diagnostic Manual* (PDM Task Force 2006), on BPD, 96–97
- psychodynamic therapy, for BPD, 109
- psychoeducation: for chronic illness, 192; family, for schizophrenia, 168; PFA, 496, 499–500; phase, of TF-CBT, 263
- psychological first aid (PFA), 496, 499–500
- Psychological First Aid Field Operations Guide* (PFA Guide), 499
- psychopharmacology, 524
- psychosis, 165
- psychosocial perspective: of social workers, 190–91; for survivors of terrorism, 497
- PT. *See* physical therapy
- PTEs. *See* potentially traumatic events
- PTSD. *See* posttraumatic stress disorder
- PTSD checklist, 456
- public health prevention framework, for child abuse and neglect, 257
- Public Health Service Act, 82
- push/pull theory of migration, 367
- PYD. *See* positive youth development
- quality-of-life issues, 184
- quantitative and qualitative research, on young men of color, 547
- RAAPS. *See* Rapid Assessment for Adolescent Preventive Services
- race and ethnicity, 381; adolescent pregnancy disparities of, 208; AIDS and, 12; BPD, 107; child abuse and neglect, 250; community violence and, 12–14; health and, 10–11; of homeless people, 348; of immigrants and refugees diversity, 374, 380; intimate partner abuse and, 395–96; of older persons, 417, 422; suicide and suicidal behavior, 466–68
- RAND Corporation, on veteran resilience, 449
- Rapid Assessment for Adolescent Preventive Services (RAAPS), 220
- Reach for Health-Community Youth Service Learning*, 17
- reasoned inferences, 21
- Refugee Act (1980), 372
- Relapse Prevention Therapy, 65
- relational theory, 57
- relaxation methods, of TF-CBT, 263–64

- religious beliefs: death in family and, 311, 312–13; depression and, 127
- religious community: gay and lesbian persons, 318–19, 323–24; homophobia and, 324
- research: on bullying, 235; on cyberbullying, 237; gay and lesbian persons and, 319; Internet, on chronic physical illness and disability, 184–85; quantitative and qualitative, on young men of color, 547; on survivors of torture resilience, 517
- resiliencies and protective factors: addictive behavior disorders, 61; adolescent pregnancy, 214–15; autism spectrum, 80–82; BPD, 103–4; bullying, 233–34; child abuse and neglect, 255–56; chronic physical illness and disability, 188–89; crime victims and victim services, 292; definition of, 14; depression, 125–27; eating problems, 148; end-of-life care, 188–89; foster care, 279–81; gay and lesbian persons, 330–31; homeless people, 354–56; immigrants and refugees, 380–82; intimate partner abuse, 399–402; older persons in need of long-term care, 423–24; schizophrenia, 165–66; suicide and suicidal behavior, 471–73; terrorism, survivors and victims of, 490; torture, survivors of, 516–18; veterans, 449–50; women of color, 566–69; young men of color, 544–45
- respite care services, for autism spectrum, 80
- restorative justice, 291, 537
- revictimization: in intimate partner abuse, 291, 398–99; rates of, 289, 291
- Richmond, Mary, 349
- role-play, 24
- rural communities, homeless people in, 349, 356
- Safe Horizon, 9/11 terrorist attack and, 484
- salient data, 21
- same-sex marriages, 324
- SAMHSA. *See* Substance Abuse and Mental Health Services Administration
- San Francisco AIDS Foundation, 39
- SAP-TBG. *See* Substance Abuse Prevention and Treatment Block Grant
- SBCM. *See* strengths-based case management
- SBHC. *See* school-based health center
- SCHIP. *See* State Children's Health Insurance Program
- schizophrenia, 73, 160–78; ACT for, 166, 167; assessment and interventions, 169–71; autism spectrum link to, 74; bipolar disorder and, 162; case illustration and discussion, 171–73; CBT and, 165; cognitive remediation, 166–69; course of illness, 163; CTI for, 166, 167; defining and explaining, 160–62; demographic patterns of, 162–64; environmental stressors, 164–65; family psychoeducation, 168; family relationship and, 162; Fountain House, 166, 167; genetic linkages, 1, 162; IDDT for, 166, 167; immigration and, 163; IMR for, 166, 168, 171, 172; medication for, 170; PORT for, 166; positive and negative symptoms of, 160, 161; prevalence of, 163; programs and social work contributions, 166–69; psychosocial needs of patients, 162, 164; resiliencies and protective factors, 165–66; social supports for, 165–66; societal context, 164; substance abuse, 163–64; suicide and, 163; symptoms of, 162–63; vulnerabilities and risk factors, 164–65
- Schizophrenia Patient Outcome Research Team (PORT), 166
- Schneider, Kurt, 160–61
- school-based health center (SBHC), 546
- schools: bullying within, 231–32; performance in, foster care and, 277–78; young men of color and, 543
- school social workers, death in family and, 306–7
- Screening for Mental Health, Inc., NDS of, 128
- selective serotonin reuptake inhibitors (SSRIs), 129, 130
- self-injury, of BPD, 105
- self-regulation, eating problems and, 152
- self-trauma model, 522–23, 527
- Senior Advisor for Disaster, Terrorism, and Mental Health, of CDC, 493
- Sensory Behavior Scale, 85
- sensory perceptual impairment, 77
- serotonin and norepinephrine reuptake inhibitors (SNRIs), 129, 130
- Services to Assist Youth. *See* Project STAY
- servicewomen, returning, 441–61; CBT, CPT for, 453; DADT policy, 448–49; intimate partner abuse, 443, 448; marital stability, 447–48; mental health, 447; military identity of, 448; military sexual trauma of, 442–43, 445–46; multi-theoretical framework, 453; phase-oriented therapy with, 452, 454–57; physical health and well-being, 446; pregnancy of, 446–47; pre-military trauma, 444–45; PTSD of, 352, 443, 446, 447; social supports, 449; stereotypes of, 443–44; stress response, 445; substance abuse of, 443, 446; TBI of, 443; tend and befriend by, 445; valuing relationships, 451–52; war zone deployment, 443, 444
- SES. *See* socioeconomic status
- settlement houses, for immigrants and refugees, 382
- sexual abuse victims, 292; adolescent pregnancy and, 212; military sexual trauma, 442–43, 445–46
- sexual and reproductive health (SRH) education, 542
- sexual assault centers, 294–95
- sexually transmitted infections (STIs), 209; of young men of color, 539, 542–43, 545
- sexual violence, 392–93
- Shanti Project, in San Francisco, 41
- short-term counseling, 549
- siblings: of autism spectrum, supports for, 80, 81; survivors, death in family and, 303
- SIJS. *See* Special Immigrant Juvenile Status
- Singer, Judy, 76
- situational couple violence, 393
- Skills in Psychological Recovery (SPR), 500

- Smith, Bob, 65
- SNAP. *See* Supplemental Nutritional Assistance Program
- SNRIs. *See* serotonin and norepinephrine reuptake inhibitors
- social and physical environments, 19
- social baseline theory, 99
- social estrangement model, 355
- social justice, 256
- social learning theory, 57–58, 123
- social marketing, 548
- social network activity, 368
- social pathologies, 17
- Social Security Income (SSI), 82, 374
- Social Skills Training, 128
- social structure: blue-collar and lower-income jobs loss, 8; childhood poverty, 4, 17; economic crisis, 7; TANF and, 8–9; wealth disparity, 6–7, 10–11
- social supports: for chronic physical illness and disability, 184, 187, 188–89; for depression, 126; for immigrants and refugees, 381; intimate partner abuse, 400; older persons in need of long-term care, 423; for schizophrenia, 165–66; servicewomen, returning, 449; veterans, 449
- social work contributions: addictive behavior disorders, 61–64; for AIDS, 40–42, 45–46, 48–49; to life events, 16–18. *See also* programs and social work contributions
- social workers: adolescent pregnancy role by, 220; AIDS education for, 37; child welfare services, 256, 281, 306; on gay, lesbian persons and homophobia, 334–38; heterosexual assumptions by, 333; in-home services by, 283; just practice by, 256; legal responsibilities of, 273; medical, 3–5, 306; military, 308; as part of addiction treatment workforce, 62–63; power differentials, 23; psychosocial perspective of, 190–91; on PTSD, 296; survivors of torture education, 519; training on terrorism survivors, 490–92; TRICARE-approved, 451. *See also* National Association of Social Workers
- social work practices: assessment and interventions, 20–25; demographic patterns and, 4–6; life conditions and, 2–6; with PLWAs, 42, 45–46; programs and social work contributions, 16–18; societal context of life conditions, 6–10
- societal context of life conditions: addictive behavior disorders, 59–60; of adolescent pregnancy, 209–11; AIDS, 36–37; of alcoholism and other drug addictions, 59–60; autism spectrum, 76; BPD, 102; bullying, 231–32; child abuse and neglect, 250–52; of crime victims and victim services, 290–91; death in family, 303; depression, 121–22; eating problems, 145–46; of economic conditions, 6–7; of family factors, 9–10; foster care, 272–76; gay and lesbian persons, 321–26; homeless people, 349–50; immigrants and refugees, 374–77; intimate partner abuse, 396–97; of legislation, 8–9; older persons in need of long-term care, 420–23; schizophrenia, 164; social work practices and, 6–10; suicide and suicidal behavior, 470; terrorism, survivors and victims of, 487–89; torture, survivors of, 513–14; veterans, 444; young men of color, 541–44
- societal prejudice, against homosexual persons, 36
- socioeconomic status (SES), 121, 396
- solution-focused therapy, 16
- Sontag, Susan, 44
- Southern code of honor, 13
- SPC. *See* suicide prevention contracting
- Special Immigrant Juvenile Status (SIJS), 280
- Special Supplemental Nutrition Program for Women, Infants, and Children (WIC), 215, 222
- specific prevention, 17–18
- spirituality: death in family and, 311, 312–13; as protective factor, 15; of survivors of torture, 518; women of color, 567–68
- SPM. *See* Supplementary Poverty Measure
- SPR. *See* Skills in Psychological Recovery
- SPRC. *See* Suicide Prevention Resource Center
- SRH. *See* sexual and reproductive health
- SSI. *See* Social Security Income
- SSRIs. *See* selective serotonin reuptake inhibitors
- stages of change model, 400–401
- stalking, 394–95
- State Children's Health Insurance Program (SCHIP), 215
- State Department, U.S., torture documentation by, 512
- STIs. *See* sexually transmitted infections
- strengths-based approach, 525; for autism spectrum, 74, 80–82; for survivors of torture, 518; for young men of color, 549
- strengths-based case management (SBCM), 525
- stress: prolonged compared to cumulative, 4, 10; veterans response to, 445
- Stress-Diathesis Model (Vulnerability Stress Model), 164–65
- Structured Interview for *DSM-IV-TR* Personality Disorders, 105
- substance abuse: adolescent pregnancy and, 212; depression and, 117, 119, 120; of gay and lesbian persons, 328; homeless people and, 348, 351; intimate partner abuse and, 398, 406–7; parental, child abuse and neglect, 277; schizophrenia and, 163–64; of servicewomen and veterans, 443, 446; by survivors of terrorism, 495; of young men of color, 540. *See also* addictive behavior disorders; alcoholism and other drug addictions
- Substance Abuse and Mental Health Services Administration, 494; NCTIC of, 496
- Substance Abuse and Mental Health Services Administration (SAMHSA), 58, 62, 65, 474
- Substance Abuse Prevention and Treatment Block Grant (SAP-TBG) funds, 63
- substance-induced mood disorder, 119
- suicidal ideation, 462, 463
- suicidality: of BPD, 105; schizophrenia and, 163
- suicidal self-directed violence, 463

- suicide and suicidal behavior, 462–83; AIDS and, 186, 471; assessment and interventions, 474–75; assisted suicide, 465; buffering hypothesis, 472; case illustration and discussion, 476–80; chronic physical illness and, 186; DBT, 474; defining and explaining, 462–65; demographic patterns, 465–70; depression and, 117; of gay and lesbian adolescents, 327; gender and, 466, 470–71; global statistics for, 462; immigration status, 468–69; of LGB population, 469; programs and social work contributions, 473–74; psychiatric disease model of, 472–73; psychosocial factors for, 471; race and ethnicity, 466–68; resiliencies and protective factors, 471–73; schizophrenia and, 163; societal context, 470; SPC for, 474; stressful life events/circumstances, 471; suicidal thought, 472; terms for, 463; of veterans, 469–70; vulnerabilities and risk factors, 470–71
- suicide prevention contracting (SPC), 474
- Suicide Prevention Resource Center (SPRC), 473; BPR of, 474
- Supplemental Nutritional Assistance Program (SNAP), 215, 374
- Supplementary Poverty Measure (SPM), 418
- supply and demand for labor, migration as reason for, 367–68
- supported employment, for schizophrenia, 168
- support groups: for AIDS, 41, 46; for chronic illness, 192
- supports: employment, for schizophrenia, 168; in environments, for life conditions, 2–3; episodic crisis, for AIDS, 44, 51; external, as protective factor, 15; in-home, for chronic physical illness and disability, 193; peer, for AIDS, 41, 49; for siblings, of autism spectrum, 80, 81; tangible, for adolescent pregnancy, 215
- survivor or victim theory, 3
- survivors of terrorism. *See* terrorism, survivors and victims of
- survivors of torture. *See* torture, survivors of
- symptom-focused dynamic psychotherapy, for eating problems, 143
- systems theory, 368
- TANF. *See* Temporary Assistance for Needy Families
- targeted children, of bullying: characteristics, 229; reluctance to tell by, 234; symptoms of, 232
- TBI. *See* traumatic brain injury
- TCAs. *See* tricyclic/heterocyclic antidepressants
- TCM. *See* Three Component Model
- TCs. *See* therapeutic communities
- techno-subsystem, in ecological systems framework, 231
- teen pregnancy. *See* adolescent pregnancy
- Teen Pregnancy Prevention Initiative, 216
- temperament, as protective factor, 14–15
- temperance movement, 65
- Temporary Assistance for Needy Families (TANF) (1996), 8–9, 215, 222, 374
- tend and befriend, by veterans and servicewomen, 445
- termination of parental rights, 275
- terrorism, survivors and victims of, 484–507; assessment and interventions, 493–502; case illustration and discussion, 502–4; CBT for, 496–97; characteristics of, 491; children and, 495; defining and explaining, 484–85; demographic patterns, 485–587; depression and, 495; distress symptoms, 490; EAPs for, 492; EBP for, 496–97; intervention principles for, 497; media and, 488; needs assessments, 494; physical consequences of, 490; population exposure model, 486–87; programs and social work contributions, 490–93; psychosocial perspective for, 497; PTSD, 489; resiliencies and protective factors, 490; screening and assessment checklist for, 494; societal context, 487–89; substance abuse and, 495; training manual for mental health responses to, 494; vulnerabilities and risk factors, 489–90
- terrorist acts: 9/11, 484, 485, 488, 490, 498–99; Oklahoma City bombing, 485; public mental health strategy of response, 495
- TESI-C. *See* Traumatic Events Screening Inventory - Child Version
- TF-CBT. *See* trauma-focused cognitive behavioral therapy
- theory of mind, autism spectrum and, 78–79
- therapeutic communities (TCs), for addiction treatment, 63–64
- thorazine, 161
- threats, 20
- Three Component Model (TCM), MacArthur Foundation, 128
- Title IV-E: Foster Care and Adoption Assistance Program, 273; Independent Living Program, 275
- Title V block grant program, 210
- Title VI, of Public Health Service Act, Office of Adolescent Pregnancy Program of, 215
- Title XX, Adolescent Family Life Act funding by, 215
- TMM. *See* Transtheoretical Model
- torture: common types of, 512, 512–13; historical risk factors for, 514; immigrants and refugees, 510, 521; NASW against, 519; perpetrators of, 513; psychological, 513; rape, 513; reasons for, 510; secrecy, media suppression of, 513
- torture, survivors of, 509–34; Amnesty International Report on, 511; assessment and interventions, 519–26; case illustration and discussion, 526–28; CBT for, 522, 524, 527; complex presentations of, 515–16; cultural survivors of, 516, 520; cumulative trauma of, 520; defining and explaining, 509–11; demographic patterns, 511–13; depression in, 515; family members of, 516; IDPs and, 511; intentional harm, 510; mental health of, 523; ORR on, 511; physical effects from, 520–21; political activism of, 517; posttraumatic growth of, 517–18; programs and social work contributions, 518–19; PTSD of,

- torture (*continued*)
 514–15; research on resilience of, 517; resiliencies and protective factors, 516–18; SBCM for, 525; self-trauma model for, 522–23, 527; social and physical environments for, 514; societal context, 513–14; spirituality and, 518; UNHCR on, 511; unlikely reporting of, 511; vulnerabilities and risk factors, 514–16; WMA on, 510
- Torture Screening Checklist (TSCL), 518–19
- Torture Victims Relief Act (TVRA) (1998), 510
- toxic environmental damage, to genetic processes, 2
- transitions in life, 18
- transnational migration, 366, 367, 369; cross-border contact, 371; mezzo example of, 371; motherhood and, 370
- Transtheoretical Model (TMM) of Change, 400–401
- trauma: addiction and, 59–60; childhood, 99, 102, 103, 124; of children in foster care, 278–79; military sexual, 442–43, 445–46; pre-military, 444–45
- trauma-focused cognitive behavioral therapy (TF-CBT), 496, 524; for child abuse and neglect, 259–60, 263–64; cognitive skills and, 264; conjoint parent-child sessions, 264–65; enhanced safety plan in, 265; in-vivo desensitization phase, 264; psychoeducation phase, 263; relaxation methods, 263–64; trauma narrative phase, 264
- trauma narrative phase, of TF-CBT, 264
- traumatic brain injury (TBI), 352, 443, 520–21
- Traumatic Events Screening Inventory - Child Version (TESI-C), 263
- Treatments, Interventions and Services Evaluation Task Force, of EPIAA, 82
- TRICARE-approved clinical social workers, 451
- tricyclic/heterocyclic antidepressants (TCAs), 129
- Tripartite Assessment, of Webb, 301, 308–9, 315
- Triple P - Positive Parenting Program, 258
- TSCL. *See* Torture Screening Checklist
- Tuke, William, 161
- TVRA. *See* Torture Victims Relief Act
- TWEAK substance abuse screening instrument, 64
- two-parent families, poverty of, 5
- UN. *See* United Nations
- UNCAT. *See* United Nations Convention Against Torture undocumented/unauthorized immigrant, 372
- UNFPA. *See* United Nations Population Fund
- UNHCR. *See* United Nations High Commissioner for Refugees
- Uniform Crime Reporting, FBI, 26
- United Hospital Fund, 185
- United Nations Convention Against Torture (UNCAT), 509, 528n1
- United Nations High Commissioner for Refugees (UNHCR), 511
- United Nations Population Fund (UNFPA), on youth, 536
- United Nations (UN) Security Council, on terrorist acts, 485
- United States (U.S.): asylum seekers in, 511–12; health care system, 183; values for chronic physical illness and disability, 183–84. *See also specific agencies*
- Universal Declaration of Human Rights, UN, on torture, 509
- universal prevention programs, for child abuse and neglect, 257–58
- U.S. *See* United States
- VA. *See* Veterans Administration
- Van Arsdale, Martin Van Buren, 269
- veterans, 441–61; assessment and interventions, 451–52; case illustration and discussion, 452–57; CBT, CPT for, 453; DADT policy, 448–49; defining and explaining, 441–43; demographic patterns, 443–44; gender and, 441–43; homelessness of, 352–53; intimate partner abuse, 443, 448; marital stability, 447–48; mental health, 447; multi-theoretical framework for, 453; phase-oriented therapy with, 452, 454–57; physical health and well-being, 446; pre-military trauma, 444–45; programs and social work contributions, 450–51; PTSD of, 352, 443, 446, 447; resiliencies and protective factors, 449–50; social supports, 449; societal context, 444; stress response, 445; substance abuse of, 443, 446; suicide of, 469–70; TBI of, 352, 443; tend and befriend by, 445; valuing relationships, 451–52; vulnerabilities and risk factors, 444–49; war zone deployment, 443
- Veterans Administration (VA): Health Care System, 444; Medical Center, 444, 451
- victim blaming, 289
- victimization: of gay and lesbian persons, 327–28; rates of, 14
- victims: compensation programs, 292; service programs, 289, 293–94. *See also* crime victims and victim services; sexual abuse victims; terrorism, survivors and victims; terrorism, survivors and victims of
- Victims of Crime Act (VOCA) (1984), 289, 292
- violence, 27n5; community, 12–14; exposure impact from, 13–14; against homeless people, 351; homicide rate, 13; poverty and, 12–14; Southern code of honor, 13; victimization rates, 14; youth and, 13. *See also* domestic violence; intimate partner abuse
- Violence Against Women Act (1994), 402
- Virginia Ultrasound Bill, 211
- VOCA. *See* Victims of Crime Act
- VOLAG agencies, 382
- Volkow, Nora, 54
- vulnerabilities and risk factors, 4, 10–14; for alcoholism and other drug addictions, 60–61; autism spectrum, 76–80; for BPD, 102; bullying, 232–33; child abuse and neglect, 252–55; chronic physical illness and disability, 185–88; crime victims and victim services, 291–92; death in family, 303–4; depression, 122–25; doll analogy, 10; eating problems, 146–47; end-of-life care, 185–88; foster care, 276–79; gay and lesbian persons, 326–30;

- vulnerabilities and risk factors
(*continued*)
homeless people, 350–54;
immigrants and refugees,
377–80; intimate partner abuse,
397–99; older persons in need
of long-term care, 421–23;
schizophrenia, 164–65; suicide
and suicidal behavior, 470–71;
terrorism, survivors and victims
of, 489–90; torture, survivors
of, 514–16; veterans, 444–49;
women of color, 564–66
- Vulnerability Stress Model. *See*
Stress-Diathesis Model
- Walter Reed Army Medical Center,
450
- Walton Empire, 7
- Watch, Wait and Wonder (WWW)
program for mothers with BPD,
106
- Wave 2 National Epidemiologic
Survey on Alcohol and Related
Conditions, 101, 102
- wealth: depression and, 123; disparity
of, 6–7, 10–11. *See also* poverty
- Webb, Nancy Boyd, 301, 308–9, 315
- welfare reform: PRWORA, 8, 27n2,
374, 542; TANF, 8–9, 215, 222, 374
- Wellness Self-Management (WSM),
128
- What Works 2011–2012*, 217
- WHO. *See* World Health
Organization
- WIC. *See* Special Supplemental
Nutrition Program for Women,
Infants, and Children
- Wiesel, Eli, 15–16
- Wilson, Bill, 65
- WMA. *See* World Medical
Association
- women: feminist perspective,
on intimate partner abuse,
393, 396–97; immigrants and
refugees, 378–79; transnational
migration and, 370. *See also*
abortions; adolescent
pregnancy; gender; intimate
partner abuse; pregnancy;
servicewomen
- women of color, 561–77; assessment
and interventions, 569–70;
Canada and, 563–64; case
illustration and discussion,
571–76; communities of color
and, 566–67; coping strategies
for, 567; critical consciousness,
575–76; defining and explaining,
561–62; demographic patterns,
562–64; diversity of, 561–62;
economic challenges of,
562–63; empowerment of,
569–670; health challenges of,
565; identity of, 568–69; key
network supports for, 566–67;
mental health outcomes,
567, 569; microaggressions
of, 566; microinvalidation
of, 566; poverty rate of, 562,
563, 565; power blocks and,
565; powerlessness of, 564,
565; programs and social
work contributions, 569;
resiliencies and protective
factors, 566–69; social policy
and, 567; spirituality, 567–68;
vulnerabilities and risk factors,
564–66
- World Health Organization
(WHO): on depression, 117; on
health, 535; on palliative care,
181–82; on youth, 536
- World Medical Association
(WMA), on torture, 510
- WSM. *See* Wellness Self-
Management
- YMC. *See* Young Men's Clinic
- YMSM. *See* young men who have
sex with men
- young men of color, 535–60;
AIDS of, 327, 538–39, 542–43,
545; ambivalence of, 545;
assessment and interventions,
550–51; asset mapping, 550–51;
BIHEADSSS assessment for,
550, 551; bullying and, 541; case
illustration and discussion,
552–56; case management
for, 546–47; community risk
factors, 544; deaths of, 538, 540;
defining and explaining, 536–37;
demographic patterns, 537–41;
ecosystems perspective for,
550; education of, 541; effective
questioning, 550; empathic
reflection, 549; empowerment
of, 548–49; family risk factors,
543; health needs of, 535–36,
541; incarceration of, 541, 546;
JJ policies, 537, 538; masculinity
beliefs of, 543; mental health
morbidity of, 536; MI for, 549;
mortality rate of, 536; poverty
of, 542; program planning and
development, 547; programs
and social work contributions,
545–50; public policies for, 542;
PYD of, 536, 538; quantitative
and qualitative research and
evaluation on, 547; resiliencies
and protective factors, 544–45;
SBHC for, 546; school-level
risk factors, 543; short-term
counseling for, 549; social and
physical environments, 542;
social marketing, 548; societal
context, 541–44; SRH education
for, 542; STIs of, 539, 542–43,
545; strengths-based perspective
for, 549; substance abuse of, 540;
youth development, 536
- Young Men's Clinic (YMC), of New
York City, 547
- young men who have sex with men
(YMSM), 539, 541, 544, 547, 548
- youth: immigrant, in foster care,
280; UNFPA and WHO on, 536;
violence and, 13
- youth development: programs, 545;
of young men of color, 536
- Youth Risk Behavior Survey
(YRBS), 535, 537–38, 540

