

## INDEX

- Abortion, 126, 136  
Abuse, 131, 199–200, 325  
Access, *see* Barrier  
Accreditation: CMS standards for, 228, 236, 304–5; in definition of social worker, 32–33; Medicare requirement for, 194; *see also* Qualifications  
Accreditation Commission for Health Care, 228  
ACHP-SW, *see* Advanced certified hospice and palliative social worker  
Active euthanasia, 9–10, 24–25, 107–9  
Active listening, 78  
Addiction, 94  
Adolescent, 96–97, 103, 154  
Advanced Certified Hospice and Palliative Social Worker (ACHP-SW), 43, 305  
Advance directive, 116; advocacy for, 232; barriers to establishing, 13–14; barriers to implementing, 12–13, 14–15, 307; education about, 12, 13–14; LGBT patients and, 99–100; self-determination through, 24–25; social work and, 13–14, 15; value conflicts and, 14–15  
Advocacy: for advance directives, 232; cultural knowledge and, 277; deep ecology theory and, 221; empowerment through, 211, 212; ethics and, 306; for family, 78; in job description, 227–28, 231; for LGBT patients, 176–77; with Medicare, 104; in *NASW Standards*, 211, 334; in NHPCO standards, 228–29; by nurses, 195; for patient care preferences, 4, 78; preparation for, 230; for salary, 304; for SWAT, 302  
Affectivity, 192  
Affirmative action, 266–67  
Afterlife: in history, 1; homosexuality and, 62; hope and, 64–65; in spiritual intervention, 105; in transpersonal mission, 152–53  
Age, 96–97, 106–7, 153–54, 289–90  
AIDS: pandemic, 235; religion and, 59–60; *see also* HIV  
Alcohol: grief and, 87; as suicide risk, 322  
Alternative care, 94, 266  
Alzheimer's, 282  
American Academy of Hospice and Palliative Medicine, 309–10  
American Hospital Association, 5  
American Medical Student Association, 271–72  
Ancillary staff, 22–23, 306  
Animal rights, 227  
Anticipatory grief: definition of, 63; perceived social support and, 103; in stage theory, 107; in SWAT, 318, 324; transegoic model and, 149  
Anticipatory mourning, 177–78  
Anti-objective, 227  
Anxiety, *see* Death anxiety  
Areas of convergence: with African American beliefs, 247–48; with Chinese beliefs, 250–51; finding, 278–79; with Latino/a beliefs, 253; understanding, 275  
Ashcroft, John, 10  
Asia Pacific Hospice Conference, 235  
Assagioli, R., 138, 151  
Assisted living, 231–32  
Assisted suicide, *see* Euthanasia  
Association of Oncology Social Work, 42–43, 309–10

- Association of Pediatric Oncology Social Work, 309–10
- Autonomy, *see* Self-determination
- Autopsy, 173–74
- Baby boomer, 308
- Barrier: to administrative care, 196–207; from administrator, 206–7; DNR order as, 277–78; to establishing advance directive, 13–14; in hospice, 254–65; hospice philosophy as, 290–91; to hospice use, 16–21, 123; to implementing advance directive, 12–13, 14–15, 307; language as, 251; *see also* Cultural competence
- Beck Depression Inventory Short Form, 109–10
- Belief: of children, 155; of client, 129–30, 138, 155; cultural, 275, 280–81, 308; personal, 126–27, 293–94; rituals in, 129–30; *see also* Afterlife; Areas of convergence; End-of-life belief
- Benedict, Joleen, 128
- Bereavement, 5, 8; child, 153–54, 156, 187; social work and, 31, 91; in social work education, 41, 309; spirituality and, 156
- Berzoff, Joan, 43–44
- Besthorn, Fred, 222
- Biopsychosocial intervention, *see* Psychosocial theory
- Blame, 64–65
- Breathing exercise: appropriateness of, 132–33; intentional breathing, 148; as transpersonal intervention, 146; in Trechod method, 296
- Bronstein, Laura, 42
- Budgeting, 256, 260; *see also* Funding
- Bureau of Primary Health Care, 271–72
- Burnout: in nurses, 195–96; preventing, 294–95; professional boundary and, 291; self-care and, 292–95; staff support group for, 191
- Bush, George W., 19, 266–67
- Calling, 295
- Cancer: family caregivers and, 177–78; family roles and, 173, 178; prognosis, 17–18, 233; in social work education, 41, 42–43; suicide risk and, 68–69
- Canda, Edward: *Domains of Spirituality*, 128–29; on ethics, 147; on prayer activities, 145
- Care: advances in, 1–2, 301; alternative, 94, 266; continuity of, 23, 232–34, 310–11; continuum of, 20, 23–25, 270, 310–11; curative, 4, 232–34, 242; evidence-based, 201, 269; in home, 7–8, 281; as obligation, 2, 6–7; options for, 2–3; reform, 235–36; system, 265–70; traditional, 250, 252, 266; *see also* Futile care; Holistic care; Interdisciplinary care; Palliative care
- Care decision: denial and, 67–68, 112–13; ethics and, 115–18; perceived social support and, 68, 103; spirituality and, 67–69; surrogate, 14
- Caregiver: cancer and, 177–78; continuity of care and, 310–11; satisfaction, 34; *see also* Primary caregiver
- Care preference: ability to communicate, 117; advocacy for, 4, 78; conflicting, 14, 15; cultural group and, 68, 102; data collection, 254; documenting, 12–13; patient-physician communication and, 14; sense of control and, 100–1; Social Work Survey on, 83; in SWAT, 81; *see also* Advance directive; Environment preference; Informed consent; Self-determination
- Caring Conversations*, 117
- Caring distance, 294–95
- Caseload, 79, 91–92, 304
- Census Bureau, 261
- Center for Practical Bioethics, 117
- Centers for Medicare and Medicaid Services (CMS): accreditation standards, 228, 236, 304–5; Conditions of Participation, 236, 237, 303; on cultural competence, 236, 264–65, 269–70; degrading qualifications, 94, 304–5; hospice certification and, 18, 229; on length of hospice stay, 16; Medicare reimbursement and, 23; psychosocial assessment and, 80; on quality of care, 272; *see also* Qualifications
- Certification, *see* Accreditation; Qualifications
- Certified Hospice and Palliative Social Worker (CHP-SW), 43, 305
- Child: abuse, 131, 199–200; belief system of, 155; bereavement, 153–54, 156, 187; communication, 188; DNR order for, 187–88; ego of, 153; family and, 187–89; Joseph on, 139, 153–54; of LGBT couples, 99; philosophy of life in, 154–55; research

- on, 303; social work with, 97; spirituality and, 139–40, 153–57, 187; support group for, 187; transpersonal experiences of, 156; unfinished business and, 154; unity consciousness in, 155–56
- CHP-SW, *see* Certified hospice and palliative social worker
- Christ, Grace, 41–42
- Chronic disease, 176
- Chung, K., 92–93
- Clark, Elizabeth, 43
- Client empowerment, 277–78
- Clinical Team Conference, NHPCO, 309–10
- Closer to the Light* (Morse), 187
- CMS, *see* Centers for Medicare and Medicaid Services
- Code of Ethics*, NASW, 11, 128, 333
- Cognitive-behavioral technique, 294–95
- Comfort: suite, 234; in SWAT, 318, 324
- Communication: ability, 117; child, 188; cultural, 276; developmental discussion process, 307; dysfunctional, 203–4; in interdisciplinary team, 207; in NASW *Standards*, 211; in NHPCO standards, 228–29; Non-Violent Communication, 137–38; patient-physician, 11, 14, 17; racism and, 266, 276–77; through ritual, 248–49; of standards, 305; symbolic, 188; in Team Functioning Scale, 335; *see also* Family-patient communication
- Community Conversations on Compassionate Care Program, 13–14
- Community Health Accreditation Program, 228
- Community outreach, 223–24, 254–62
- Community fatigue, 191, 291, 292–95; *see also* Burnout
- Compassion satisfaction, 292
- Competition: between hospice and church, 257; between professions, 195–96
- Complicated grief: 911 call and, 179; in stage theory, 107; in SWAT, 318, 324; unfinished business and, 63
- Conditions of Participation, CMS, 236, 237, 303
- Confidentiality, 179, 199–200, 251
- Conflict, *see* Value conflict
- Connor, Stephen, 66
- Consensus model, 225, 227
- Continuity of care, 23, 232–34, 310–11
- Continuum of care, 20, 23–25, 270, 310–11
- Control, *see* Sense of control
- Convergence, *see* Areas of convergence
- Coping: perceived social support in, 175; religion as, 244; in SWAT, 325; with transpersonal experiences, 174–75; *see also* Denial as coping
- Costs: of futile care, 3; life-sustaining treatment and, 1, 3; pain, 77; in research, 303; as social problem, 24; social work and, 316; in SWAT, 317, 323–24
- Council on Social Work Education, 32–33, 42–43, 121
- Countertransference, 290–91
- Crisis intervention, 91–92, 178
- Cruzan, Nancy, 9
- Csikai, Ellen, 33, 42
- Cultural competence: barriers to, 254–65, 264; CMS on, 236, 264–65, 269–70; education for, 260–61, 274–77; in hospice practice, 277–82; in NASW *Standards*, 334; need for, 261; NHPCO on, 271; organizational, 254–56, 262; personal preparation for, 273–74; PRIME project, 271–72; self-determination and, 273–74, 278; Social Work Policy Institute on, 273; training for, 274–77
- Cultural group, 98–99; awareness of, 261–62; care preferences and, 68, 102; communication and, 276; cultural beliefs, 275, 280–81, 308; dissociation and, 226; emotional expressiveness and, 279; euthanasia and, 107–8; familiness and, 171–72; family and, 173–74; home care and, 281; hospice philosophy and, 68, 235; informed consent and, 18, 24, 269, 280; insurance and, 267–68; knowledge about, 260–61, 275; life-sustaining treatment and, 68, 282; pain control and, 281; perceived social support and, 102–4, 106–7, 279–80; practice model and, 279; quality of care and, 241; quality of life and, 282; “race” and, 241; referrals and, 268–69; sense of control and, 101–2; spirituality and, 59–60; trust between, 277
- Curative treatment, 4, 232–34, 242
- Data collection, *see* Outcomes measurement
- Davis, M., 30–31, 46
- Death: depression, 109–10; at home, 1, 23–24, 249; in hospice, 2; in hospital, 16, 246; imagery, 143; as life stage, 55, 58–59, 97–98; meaning in, 151; normalization of,

- 149–50; respectful, 7; taboo on discussing, 130, 245–46, 248–49
- Death anxiety, 106–7; age and, 289–90; denial and, 65–66, 105; education and, 44; gender and, 290, 292; HADS and, 105, 109–10; pain and, 105; perceived social support and, 62–63, 102–3; predictors of, 55, 61–63; sense of control and, 106–7; sexual orientation and, 62; spiritual experiences and, 141–42, 143–44; spirituality and, 57, 61–62, 105–6; in SWAT, 317, 322–23; transegoic model and, 149; unity consciousness and, 106–7
- Death with Dignity Act, 10
- Decision, *see* Care decision
- Deep ecology theory, 130–31, 135, 221–22
- Democracy, 227
- Denial: care decisions and, 67–68, 112–13; cultural beliefs and, 280–81, 308; death anxiety and, 65–66, 105; degrees of, 66; dysfunctional, 112–13; family-patient communication and, 112–13; informed consent and, 20; life-sustaining treatment and, 69; palliative care and, 310–11; pathological, 131; in placement, 15, 16–17, 44–45, 181–82; spirituality and, 113, 131; in stage theory, 112; SWAT and, 37, 44, 318, 325
- Denial as coping: death anxiety and, 65–66, 105; for family, 180–81, 185; palliative care and, 21; in practice model, 55, 57; in stage theory, 112
- Deontological principle, 11
- Department of Health and Human Services, 271–72
- Depression, 63–65, 103; Beck Depression Inventory Short Form, 109–10; death, 109–10; HADS and, 105, 109–10; intervention with, 110–11; perceived social support and, 110–11; spirituality and, 110–11; suicide and, 64, 107–9
- Developmental discussion process, 307
- Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), 105, 110, 120
- Differential diagnosis, 105
- Dignity, 77, 134–35, 246
- Director: perception of social work role, 46, 47–48, 48–49; role of, 262–63; social worker as, 223–24
- Disclosure, 179, 199–200
- Disenfranchised Grief* (Doka), 176
- Disidentification, 138
- Dissociation, 226
- DNR order, *see* Do not resuscitate order
- Documentation: of care preferences, 12–13; death taboo and, 130; NASW on, 302; in NASW *Standards*, 334; in outcomes measurement, 32–40; Social Work Policy Institute on, 94; Social Work Survey on, 123
- Doka, Kenneth, 176
- Domains of Spirituality* (Nelson-Becker, Nakashima, and Canda), 128–29
- Domestic violence, 131
- Domination, 226
- Do not resuscitate (DNR) order: accuracy of, 117, 181; as barrier, 277–78; for child, 187–88; denial and, 112; family and, 15; in outcome prediction, 69; Patient Self-Determination Act and, 12
- Dramaturgy, 134
- Drug use, 59–60, 90, 249–50, 293
- DSM-IV, *see* *Diagnostic and Statistical Manual of Mental Disorders*
- Duke Summit, 43
- Durable power of attorney, 116
- Dysfunction: in communication, 203–4; in denial, 112–13; in interdisciplinary team, 203–5, 226
- Dysfunctional use of religion, 131–32
- Ecofeminism, 226–27
- Ecology: deep ecology theory, 130–31, 221–22; transecological perspective, 135
- Education: adequacy of, 40–41; about advance directives, 12, 13–14; continuing, 309–10, 334; for cultural competence, 260–61, 274–77; death anxiety and, 44; holistic, 308; about hospice, 17, 230–32, 307; interdisciplinary, 197, 210, 309; language, 309; macro level, 45–46, 118–19; about Medicare Hospice Benefit, 103; mentoring, 118–19; mezzo level, 44–45; micro level, 44; in NASW *Standards*, 334; psychoeducational group, 190; stage theory and, 291; standards and, 305
- Ego: of child, 153; deep ecology theory and, 221; disattachment, 150, 151–52; experiential techniques and, 132–33; integrity, 57, 95, 133–34; mindfulness and, 144–45; Psychosocial Inventory of Ego Strength, 95–96; transegoic model, 138,

- 149–53; in transpersonal theory, 57–58, 97–98, 105–6, 151–52
- Elder abuse, 199–200
- Emergency room, 268–69
- Emotional exhaustion, 191
- Emotional expressiveness: cultural group and, 279; gender and, 290
- Emotional support, 2, 8, 180
- Empathy, 292–93
- Empowerment: through advocacy, 211, 212; in community outreach, 257; cultural competence and, 267; deep ecology and, 235; in intake process, 277–78; in *NASW Standards*, 334; in quality of care, 266; self-determination and, 278–79; of social work, 212; Social Work Survey on, 88; through spirituality, 65; in stage theory, 151–52; suicide and, 101; in U.S. culture, 100
- Empty-tank syndrome, 293
- End-of-life belief, 242–43, 244; African American, 243–48; Chinese, 248–51; Latino/a, 251–53; in personal preparation, 291–92
- End-of-life care, *see* Care
- End-of-Life Care Researchers' Interest Group, 42–43
- Environment preference: informed, 21; as social work role, 48; in SWAT, 37, 44
- Erikson, Erik, 54–55, 95
- Ethics, 6–7; in addressing spirituality, 122, 147–48; advocacy and, 306; care decisions and, 115–18; *Code of Ethics*, NASW, 11, 128, 333; of euthanasia, 11–12, 24–25, 108–9; experimental design and, 39–40; family and, 179–80; of futile care, 11–12; in *NASW Standards*, 333; in NHPCO standards, 228–29; policy, 115–16; prayer and, 147–48; value conflicts and, 11–12, 179
- Euthanasia: active, 9–10, 24–25, 107–9; continuity of care and, 233; cultural group and, 107–8; ethics of, 11–12, 24–25, 108–9; in Oregon, 10, 64, 67, 100–101; passive, 9, 67; in social work education, 308; *see also* Suicide
- Evidence-based practice, 201, 269
- Experiential technique, 132–33
- Exploring Differences in the Workplace* (Mendez-Russel, Widerson, and Tolbert), 255
- Family: advocacy for, 78; assessment, 170–71; child patients and, 187–89; cultural group and, 173–74, 249; denial as coping for, 180–81, 185; doctor, 1–2; ethics and, 179–80; familiness, 171–72, 189; familism, 251–52; intervention, 171–73; kinship network, 60, 280; perceived social support and, 175–76, 182, 183–84; reconciliation, 136; role, 172–73, 178; sense of control in, 187–88; Social Work Survey on, 181, 182–86; social work with, 179–81, 182–86; spirituality and, 173–75; systems theory, 93, 170–71; value conflict with, 15
- Family-patient communication: constricted, 188; denial and, 112–13; informed consent and, 14; in *NASW Standards*, 81; self-determination and, 179; in social work, 116–17; support groups and, 14
- Fatalism, 252
- Feminism, 172–73, 225; ecofeminism, 226–27
- Field placement, 259–60, 263–65
- Financial assistance, 104; *see also* Insurance
- Folk medicine, 250, 252, 266
- Forgiveness, 95–96, 137–38, 175–76, 325
- For-profit hospice, 22, 267–68
- Foundation for Hospices in Sub-Saharan Africa, 235
- Framework for Spiritual Assessment, 129
- Frankl, Viktor E., 150–51
- Friendship, 232, 253, 256; *see also* Social support, perceived
- Funding, 256–58, 260, 263
- Futile care, 282; costs of, 3; ethics of, 11–12; hospice as, 281, 282; insurance for, 246–47, 282; willingness to provide, 181, 250
- Gardia, Gary, 92
- Gay patient, *see* LGBT patients
- Gender: death anxiety and, 290, 292; dissociation and, 226; emotional expressiveness and, 290; family roles and, 172; of primary caregiver, 90; support groups and, 90; *see also* LGBT patients
- Genogram, 129, 132, 133–34
- Geriatric Social Work Faculty Scholars Program, 41–42
- Goals, 135–36
- Goelitz, A., 110
- Gratification, 292
- Grief: alcohol and, 87; perceived social support and, 103, 110–11; spirituality and, 64–65; of staff, 191; stage theory and,

- 63–64, 107; suicide and, 107–11; in SWAT, 318, 324; *see also* Anticipatory grief; Complicated grief; Depression
- Group intervention, 189, 192;  
psychoeducational group, 190; support group, 190–92, 193
- Guided imagery, 137, 149
- Guilt, 118, 136–37, 179
- HADS, *see* Hospice Anxiety and Depression Scale
- Harlem Palliative Care Network (HPCN), 270
- Hartford Foundation, 41–42
- Health care, *see* Care
- Health Care Financing Administration (HCFA), *see* Centers for Medicare and Medicaid Services
- Health care reform, 235–36
- Health care system, 265–70
- Health insurance, *see* Insurance
- Health Maintenance Organization (HMO), 22
- Health Symposium, 42–43
- Healthy People 2020*, 271–72
- Heart failure, 1–2
- Hierarchical model, 225
- High-functioning team, 207–10, 212–13
- Hippocratic Oath, 11
- HIV: anxiety and, 61; perceived social support and, 176; treatment options for, 19; *see also* AIDS
- HMO, *see* Health Maintenance Organization
- Holistic care: by high-functioning team, 207; hospice providing, 7–8; by HPCN, 270; Medicare Hospice Benefit and, 5; palliative and, 23; Saunders promoting, 3–4, 49
- Holistic education, 308
- Home: care in, 7–8, 281; death in, 1, 23–24, 249
- Homosexuality, *see* LGBT patients
- Hope, 113, 114–15
- Hospice: barriers to use of, 16–21, 123, 307; barriers within, 254–65; competition with diverse religious leaders, 257; cultural competence in, 277–82; death in, 2; definition of, 5; education about, 17, 230–32, 307; for-profit, 22, 267–68; as futile care, 281, 282; home care, 7–8, 281; length of stay, 43; model of care, 7–8, 16–17; providing holistic care, 7–8; rural, 22, 236, 305; St. Christopher's, 3–4, 5; value conflicts and, 16
- Hospice Anxiety and Depression Scale (HADS), 105, 109–10
- Hospice philosophy: active euthanasia and, 108–9; as barrier, 290–91; cultural group and, 68, 235; deep ecology theory and, 222; development of, 1, 3–5, 193–94; Johnson and, 6–7; Medicare Hospice Benefit and, 5–6; perceived social support and, 103; self-determination in, 78; tactical socialization to, 247
- Hospital, death in, 16, 246
- Hovland-Scafe, C., 42
- HPCN, *see* Harlem Palliative Care Network
- Human rights, 276
- Immigration, 270
- Inclusion and Access Toolbox*, NHPCO, 255, 263
- Individual autonomy, *see* Self-determination
- Informed consent: checking, 117; cultural group and, 18, 24, 269, 280; denial and, 20; Medicare Hospice Benefit and, 18; patient-physician communication and, 14; sanctity of life and, 11
- Institute of Medicine, 6–7
- Insurance: continuum of care and, 311; cultural group and, 267–68; for futile care, 246–47, 282; patients without, 21; policy and, 24, 31–32; in SWAT, 317
- Intake process, 277–78
- Intentional breathing, 148
- Interdisciplinary care: administrative barriers in, 206–7; barriers to, 196–207; of children, 189; commitment to, 202; competition in, 195–96, 196; dysfunctional, 203–5, 226; education for, 197, 210, 309; evaluation of, 211; high-functioning, 207–10; lack of, 17, 20; Medicare Hospice Benefit and, 5; in *NASW Standards*, 334; power differential in, 204–5; role blurring in, 197–98, 207–8; salary and, 205–7; social workers in, 30–32, 79, 91, 193–94; spirituality in, 37–38, 54–55, 121, 124–25; training for, 42, 45; transdisciplinary team, 125; trust in, 335; understanding in, 196–97; value conflicts in, 199–201; *see also* High-functioning team; Holistic care
- Interdisciplinary journal, 304
- Interpreter, 81, 251, 260
- Johnson, Robert Wood, 6–7

- Joint Commission, 228
- Joseph, M. Vincentia: on childhood, 139, 153–54, 155; on religion, 120
- Journal: access to, 230, 303; child communicating through, 188; finding meaning through, 134–35; interdisciplinary, 304; in self-care, 230; as social work intervention, 90; spiritual, 138; as transpersonal intervention, 146
- Journal of Social Work in End-of-Life and Palliative Care*, 43–44, 303
- Kinship network, 60, 280
- Kovacs, Pamela J., 42
- Kramer, Betty J., 42
- Kubler-Ross, Elisabeth, 3–4, 5, 23–24, 194
- Kubler-Ross stages of grief: confrontation with mortality in, 59; denial in, 112; grief and, 63–64, 107; in personal preparation, 291–92; projection of anger on staff, 191
- Kulys, Regina, 30–31, 46
- Language: as barrier to care, 251; in community outreach, 255–56, 257–58; education, 309; funding and, 260; literacy, 278–79; in *NASW Standards*, 81; quality of care and, 266–67; slavery and, 243–44
- Last Acts, 271
- Lesbian patient, *see* LGBT patients
- Level of consciousness, 57–58
- LGBT (lesbian, gay, bisexual, and transgendered) patients: advance directives and, 99–100; advocacy for, 176–77; as AIDS risk, 59–60; children of, 99; cultural competence and, 261; familiness and, 171–72; perceived social support and, 99–100; religion and, 59–60, 62
- Liability, 13
- Life review, 133–34, 188
- Life stage: death as, 55, 58–59; in *NASW Standards* assessment, 81
- Life-sustaining treatment: cultural group and, 68, 282; denial and, 69; medical advances and, 1–2; refusal of, 11, 77, 179; religion and, 18–19; in value conflicts, 199
- Literacy, 279
- Living will, 12, 116
- Logotherapy, 150–51
- Make-A-Wish Foundation, 135–36
- Mandated reporter, 199–200
- Maslow, Abraham, 93–94, 119–20, 151
- Medicaid, 1, 16, 104; *see also* Centers for Medicare and Medicaid Services
- Medical advances, 1–2, 301
- Medical care, *see* Care
- Medical power of attorney, 12
- Medicare, 1; advocacy with, 104; certification, 228; continuum of care and, 20; eligibility, 234; limiting hospice use, 16–18; reimbursement, 23, 234, 311; social work requirement, 194; SWAT and, 79; *see also* Centers for Medicare and Medicaid Services
- Medicare Hospice Benefit: continuity of care and, 310; education about, 103; hospice philosophy and, 5–6; informed consent and, 18; reimbursement rate, 22
- Meditation: compassion fatigue and, 295, 296–97; finding meaning through, 134–35; guided imagery, 137, 149; for pain management, 94; relaxation in, 148; techniques, 148–49; transcendence and, 296; as transpersonal technique, 105–6, 146; Trechod method of, 296; Vipassana, 296
- Mendez-Russel, A., 255
- Mentoring, 118–19
- Mindfulness, 144, 148
- Miracle, 245, 266
- Mission of organization, 255
- Mixed methods study, 303
- Morse, M., 187
- Mother Teresa, 127
- Nakashima, M., 128–29
- NASW, *see* National Association of Social Workers
- NASW Standards for Palliative and End-of-Life Care*, 333–34; assessment, 80–81, 333; care access in, 231; Clark developing, 43; role of social worker in, 211–13; social work supervision in, 45, 224, 334
- National Association of Social Workers (NASW): certification, 42–43; *Code of Ethics*, 11, 128, 333; credentials, 43, 305; definitions by, 4–5; on documentation, 302; in policy practice, 236–37; recommendations by, 229–30
- National Council of Hospice and Palliative Professionals (NCHPP), 32–33, 36–37, 43

- National Hospice and Palliative Care Organization (NHPCO): certification, 43; Clinical Team Conference, 309–10; on community outreach, 223–24, 255–56, 258; in continuing education, 309–10; on continuity of care, 233–34; on continuum of care, 23; on cultural competence, 271; guidelines, 35; on hospice movement growth, 6; *Inclusion and Access Toolbox*, 255, 263; Pathway Document, 77, 79; in policy practice, 236–37; *Self-Assessment Checklist for Personnel Providing Primary Health Care Services*, 255, 263; Spiritual Caregiver Section, 124–25; standards, 228–29; *see also* Social Worker Section
- National Hospice Social Work Survey: bereavement in, 91; caseloads in, 79; documentation in, 123; family intervention in, 181, 182–86; pain cost in, 77; practice models in, 49–50; qualifications in, 35; social support intervention in, 103; social work impact in, 33, 34–36, 206–7; social work interventions in, 82, 83–89, 90; social work supervision in, 223; spirituality in, 82, 100, 121, 133; team functioning in, 196; transpersonal intervention in, 138
- National Model Performance Improvement Project, 38–39
- National Quality Forum, 272
- National Social Work Summit on End-of-Life and Palliative Care, 41–42, 302
- NCHPP, *see* National Council of Hospice and Palliative Professionals
- Nelson-Becker, H., 128–29
- NHPCO, *see* National Hospice and Palliative Care Organization
- 911 call: complicated grief and, 179; cultural competence and, 278; dysfunctional denial and, 112; value conflict and, 15
- Non-Violent Communication, 137–38
- Nurse: advocacy by, 195; burnout, 195–96; in hospice development, 193–94; hospice liaison, 311; on-call responsibilities of, 90–91, 195; outcomes measurement and, 195; in power differentials, 204; role, 46, 47–48, 48–49; social workers and, 46, 48, 195–96; utilization, 30–32
- Nursing home, 7–8, 282
- Objectification, 226
- On-call responsibility, 90–91, 195
- Oncology, *see* Cancer
- On Death and Dying* (Kubler-Ross), 5
- Online support group, 190–91
- Oppression, 222, 227, 265, 276–77
- Oregon, 10, 64, 67, 100–1
- Organ donation, 136, 290, 292
- Organizational cultural competence, 254–56, 262
- Otis-Green, Shirley, 80
- Outcomes measurement, 8, 69–70; documentation in, 32–40; nursing and, 195; social work education and, 44
- Outreach, 223–24, 254–62
- Oxford Textbook of Palliative Social Work*, 43–44
- Oxytocin, 62–63
- Pacourek, L., 42
- Pain control: alternative, 77, 94; in children, 189; cost, 77; cultural group and, 281; death anxiety and, 105; patients without, 2; in quality of life, 77; refusal of, 246, 249–50; transcendence and, 93–94
- Paired samples t-test, 80
- Palliative care, 2; continuity of care and, 232–34; denial and, 310–11; guilt and, 118; holistic and, 23; informing public about, 230–32, 301; NASW on, 4–5; as separate field, 19–20; in value conflict, 15; *see also* Hospice
- PAR, *see* Participatory action research
- Parent, 99, 187–89; *see also* Child; Family Participatory action research (PAR), 237, 281
- Passive euthanasia, 9, 67
- Path analysis, 55, 56, 69
- Pathway Document, NHPCO, 77, 79–80
- Patient Bill of Rights, 5, 11
- Patient-family communication; *see* Family-patient communication
- Patient-physician communication, 11, 14, 17
- Patient Self-Determination Act, 11, 12–13, 100–1, 179
- Pay, *see* Salary
- PDIA, *see* Project on Death in America
- Pediatrics, *see* Child
- Perceived social support, *see* Social support, perceived
- Perls, Fritz, 146



- Personal preparation, 291; for cultural competence, 273–74; self-knowledge in, 289–91; stage theory in, 291–92
- Philosophy of life, 57, 59, 133–38; in children, 154–55; death anxiety and, 61–62; end-of-life care and, 67; in psychosocial development, 95; in social work, 120–21, 225, 295
- Physician-patient communication, 11, 14, 17
- Pigeonholing, 201
- Play therapy, 187
- Pluralism, 227
- Policy: ethics, 115–16; insurance and, 24, 31–32; public, 235, 236–37; visiting, 171
- Porter, Theresa, 155
- Post-traumatic stress disorder, 187
- Power differential, 204–5
- Power of attorney, 12, 116
- Practice model, 55, 56, 57; cultural group and, 279; Social Work Survey on, 49–50
- Prayer: activities, 145, 146; ethics and, 147–48; respecting, 278–79
- Preference, *see* Care preference
- Primary caregiver, 16, 18; gender of, 90; SWAT and, 321, 325
- PRIME project, *see* Promoting, Reinforcing, and Improving Medical Education project
- Privacy, 266; *see also* Confidentiality
- Privilege: racial, 261–62; therapeutic, 11
- Process evaluation, 39
- Professional boundary, 291, 293, 296–97
- Profit, 224, 226–27; for-profit hospice, 22, 267–68
- Prognosis: cancer, 17–18, 233; informing patients of, 2–3, 248–49, 280; terminal, 2, 16–18, 24, 310–11; uncertain, 233
- Project on Death in America (PDIA), 33, 41–42, 43
- Promoting, Reinforcing, and Improving Medical Education (PRIME) project, 271–72
- Proselytization, 122, 224
- Psychoeducational group, 190
- Psychosis, 133, 147
- Psychosocial assessment, 79–80, 91–92, 187
- Psychosocial Inventory of Ego Strength, 95–96
- Psychosocial Pain Assessment Form, 80
- Psychosocial theory: age in, 289–90; development systems, 54–55; evidence-based practice and, 201; knowledge of, 333; Psychosocial Inventory of Ego Strength, 95–96; in self-care, 294–95; in social work education, 308; in SWAT, 316
- Psychosynthesis, 138, 151
- Public policy, 235, 236–37
- QAPI, *see* Quality Assessment and Performance Improvement
- Qualifications, 43; adequacy of, 40–41; CMS degrading, 94, 304–5; salary and, 236, 305; Social Work Survey on, 35; *see also* Accreditation
- Quality Assessment and Performance Improvement (QAPI), 229
- Quality of care: cultural group and, 241; improving, 234; language and, 266–67; National Quality Forum on, 272
- Quality of life, 2–3, 76–77; cultural group and, 282; in high-functioning team, 209; indicators, 6–7; over length of life, 116; in value conflicts, 199
- Quinlan, Karen Ann, 9
- Race, 241; *see also* Cultural group
- Rapid Response Program, 92
- Raymer, Mary, 33, 42
- Reconciliation, 136
- Recycling, 227
- Reese, Dona, 46, 47–48, 48–49
- Relaxation: in meditation, 148; as pain control, 77, 94; as transpersonal technique, 105–6, 146
- Religion, *see* Spirituality
- Republican right, 18–19
- Research, 302–4
- Respect: in Latino/a culture, 252; respectful death, 7
- Resuscitation, 1–2, 2–3, 11–15; *see also* Do not resuscitate order
- Right to die, 19, 20–21
- Rituals: authorization for, 147–48; in client beliefs, 129–30; communication through, 248–49; therapeutic, 135, 144; as transpersonal technique, 146
- Robert Wood Johnson Foundation, 271
- Rogers, Carl, 92–93
- Roles: blurring, 197–98, 207–8; captivity, 149, 150; director, 223–24; family, 172–73, 178; of hospice director, 262–63; nurse, 46, 47–48, 48–49; *see also* Social work role

- Rosenberg, Marshall, 137–38
- Rules exercise, 203
- Rural hospice, 22, 236, 305
- Safety, 77, 317, 324
- Salary: advocacy for, 304; in interdisciplinary team, 205–7; qualifications and, 236, 305
- Saunders, Cicely: interdisciplinary background of, 49, 193–94; promoting holistic care, 3–4, 49; on spiritual work, 120
- Scapegoating, 203, 207–8
- Schiavo, Terri, 19
- Schools of Social Work, 309–10
- Schumacher, Don, 268
- Self-Assessment Checklist for Personnel Providing Primary Health Care Services*, NHPCO, 255, 263
- Self-care, 292–97
- Self-determination: through advance directive, 24–25; cultural competence and, 273–74, 278–79; family and, 179; in hospice philosophy, 78; in *NASW Standards*, 333
- Self-knowledge, 127, 275; in personal preparation, 289–91; value conflict and, 290–91
- Self-transcendence, *see* Transcendence
- Sense of control, 7, 100–2; in adolescents, 96–97; death anxiety and, 106–7; in parents, 187–88; in self-care, 294; spirituality and, 65; *see also* Euthanasia
- Sexuality, 175–76
- Sexual orientation, *see* LGBT patients
- Shallow ecology, 221
- Shame, 258–59
- Silverman, Phyllis, 43–44
- Sin, 136–37
- Singer, Peter A., 7
- Slavery, 243–44, 265
- Smith, Elizabeth, 98, 152–53; *see also* Transegoic model
- Social action, 222, 273–74
- Socialization: into racism, 261–62; tactical, 247
- Social security, 104
- Social support, perceived: care decisions and, 68, 103; in coping, 175; cultural group and, 102–4, 106–7, 279–80; death anxiety and, 62–63, 102–3; depression and, 110–11; family and, 175–76, 182, 183–84; grief and, 103, 110–11; HIV and, 176; hospice philosophy and, 103; LGBT patients and, 99–100; in *NASW Standards* assessment, 81; oxytocin and, 62–63; in self-care, 294; by social workers, 82, 103; spirituality and, 60–61; in SWAT, 317, 323
- Social work: advance directives and, 13–14, 15; assertiveness in, 202; bereavement counseling in, 31, 91; caseloads in, 79, 91–92, 304; commitment in, 202; countertransference in, 290; definition of, 32–33; determining need for, 31; directive, 92–93; in director role, 223–24; empowering, 212; evidence-based, 94; with family, 179–81, 182–86; family-patient communication in, 116–17; final goals and, 135–36; financial assistance and, 104; impact of, 33, 34–36, 315–16; in interdisciplinary care, 30–32, 79, 91, 193–94; Medicare requirement for, 194; on-call responsibilities in, 90–91; organization intervention in, 227–28; philosophy of life in, 120–21, 225, 295; social support as, 82, 103; as spiritual calling, 295; utilization of, 30–32, 39, 193–94, 301; *see also* Spirituality in social work
- Social Work Acuity Scale for Hospice (SWASH), 35
- Social Work Assessment Tool (SWAT): advocacy for, 302; care preferences in, 81; case example, 319–20; comfort issues in, 318, 324; complicated anticipatory grief in, 318, 324; coping in, 325; data analysis, 80, 321; death anxiety in, 317, 322–23; denial and, 37, 44, 318, 325; environment preference in, 37, 44; in family assessment, 170–71; financial issues in, 317, 323–24; Medicare and, 79; perceived social support in, 317, 323; practice example, 327–28; primary caregiver and, 321, 325; psychosocial issues in, 316; safety issues in, 317, 324; spiritual issues in, 316, 318, 322, 325; SWAT Handbook, 315–29; thoughts of suicide in, 317, 322
- Social work education: bereavement in, 41, 309; cancer in, 41, 42–43; Council on Social Work Education, 32–33, 42–43, 121; outcomes measurement and, 44; psychosocial theory in, 308; spirituality in, 308; suicide in, 308

- Social Worker Section, NHPCO, 36–37, 43, 124–25
- Social Work in Hospice and Palliative Care Network, 303
- Social Work Leadership Development Awards, 41–42
- Social Work Outcomes Task Force, 33, 36–37, 315
- Social Work Policy Institute, 82, 229–30; on cultural competence, 273; on documentation, 94
- Social work role, 304–6; director perception of, 46, 47–48, 48–49; lack of understanding of social work role by team, 194–95; *NASW Standards* on, 211–13; nurses and, 46, 48, 195–96
- Social work supervision: in *NASW Standards*, 45, 224, 334; qualifications and, 304–5; Social Work Survey on, 223; support group and, 191–92
- Social Work Survey, *see* National Hospice Social Work Survey
- Society for Social Work and Research, 42–43
- Society for Social Work Leadership in Health Care, 43
- Society for Spirituality and Social Work, 147–48
- Solution focus, 78, 90
- Sontag, M., 203
- Spiritual Caregiver Section, NHPCO, 124–25
- Spirituality: AIDS and, 59–60; as ancillary, 171; autopsy and, 173–74; bereavement and, 156; calling, 295; childhood and, 139–40, 153–57, 187; confidentiality and, 199–200; confrontation with mortality and, 58–59, 76, 97–98, 106–7; as coping, 244; cultural group and, 59–60; death anxiety and, 61–62, 106–7; denial and, 113; depression and, 110–11; empowerment through, 65; and end-of-life care decisions, 67–69; family and, 173–75, 183; forgiveness and, 95–96; functional and dysfunctional use of religion, 131–32; grief and, 64–65; guilt and, 136–37; hope and, 113, 114–15; in hospice care model, 7–8, 16–17; hospice competing with diverse religious leaders, 257; in interdisciplinary care, 37–38, 54–55, 121, 124–25; Joseph on, 120; journaling and, 138; life-sustaining treatment and, 18–19; medical advances and, 2; in *NASW Standards* assessment, 81; perceived social support and, 60–61; predictors of, 57–60; religious diversity, 259; on sanctity of life, 11, 18–19, 68; in self-care, 295–97; sense of control and, 65; sexual orientation and, 59–60, 62; in social work education, 308; Social Work Survey on, 82, 100, 121, 133; spiritual experiences, 141–44; in SWAT, 316, 318, 322, 325; therapeutic use of, 144–45; transcendence and, 57; transpersonal theory and, 98; value conflicts and, 11, 15–16, 126–27; *see also* Afterlife; Belief; Prayer
- Spirituality in social work, 119–20, 156–57; afterlife in, 105; assessment, 128–32; client beliefs and, 129–30, 138, 155; current practice with, 120–24; of employees, 224–28; ethics in, 122, 147–48; importance of, 48–49; interdisciplinary competition and, 196; issues in, 130–31, 132–33; personal beliefs and, 126–27, 293–94; referral, 125–26; responsibility for, 37–38; Saunders on, 120; training for, 82, 100, 121–23; unfinished business and, 135; way of being and, 127–28
- Spiritual Shower, 140, 141
- Spiritual system, 54–55
- St. Christopher's Hospice, 3–4, 5
- Staff: ancillary, 22–23, 306; applicant diversity, 258–60, 265; support groups, 191–92, 193
- Standards for Palliative and End-of-Life Care*, *see* *NASW Standards for Palliative and End-of-Life Care*
- Statistical analysis, 80
- Stereotype, 205–6, 260
- Stoicism, 249–50, 252, 279
- Struggle, 246
- Substance abuse, 59–60, 90, 249–50, 293; *see also* Alcohol
- Suicide: alcohol and, 322; cancer and, 68–69; depression and, 64, 107–9; empowerment and, 101; grief and, 107–11; intervention, 111; in SWAT, 317, 322; unity consciousness and, 67; *see also* Euthanasia
- Support group, 175–76; for adolescents, 103; for children, 187; family-patient communication and, 14; gender and, 90; in group intervention, 190–92, 193; membership restrictions, 190; online, 190–91; in self-care, 294; staff, 191–92, 193

- Supreme Court, 9, 10, 19
- Surgery, 1–2, 2–3
- Surrogate decision making, 14
- SWASH, *see* Social Work Acuity Scale for Hospice
- SWAT, *see* Social Work Assessment Tool
- Swett, Laura, 137, 140, 141
- Syphilis, 265
- Systems theory, 93, 170–71, 201, 221
- Tactical socialization, 247
- Targeting, 255
- Tax Equity and Fiscal Responsibility Act, 5
- Team, *see* High-functioning team; Interdisciplinary care
- Team Functioning Scale, 35, 209, 211, 335–36
- Teenager, *see* Adolescent
- Terminal prognosis, 2, 16–18, 24, 310–11
- Theory: deep ecology theory, 130–31, 221–22; differences in, 201–2; systems theory, 93, 170–71, 201, 221; white racial identity development theory, 261–62; *see also* Kubler-Ross stages of grief; Psychosocial theory; Transpersonal theory
- Therapeutic privilege, 11
- Tibetan Book of the Dead*, 144
- Tolbert, A-S., 255
- Toolbox*, *see* *Inclusion and Access Toolbox*
- Touch therapy, 188
- Traditional medicine, 250, 252, 266
- Transcendence, 57, 144–45, 152–53; Maslow on, 93–94, 119–20; meditation and, 296; in self-care, 295–96
- Transdisciplinary team, 125
- Transeoic model, 138, 149–53
- Transeoic stage, *see* Transpersonal theory
- Transition care, 232–34
- Translation, 81, 251, 260
- Transpersonal experience, 140–44, 174–75
- Transpersonal intervention, 145, 146
- Transpersonal mission, 133–34, 152–53
- Transpersonal self, 152
- Transpersonal technique, 105–6, 146
- Transpersonal theory, 57–58; children and, 156; confrontation with mortality in, 97–98; ego in, 57–58, 97–98, 105–6, 151–52; meditation in, 105–6, 146; in self-care, 295–96
- Treatment, *see* Care
- Trechod meditation, 296
- Trust: between cultural groups, 277; in interdisciplinary team, 335
- Turf battle, *see* Interdisciplinary care
- Tuskegee study, 265
- Uncertain prognosis, 233
- Unfinished business: children and, 154; complicated grief and, 63; death anxiety and, 57, 61–62; social work and, 135
- Unity consciousness, 139–40; in children, 155–56; death anxiety and, 106–7; deep ecology theory and, 221; in disidentification, 152; Maslow on, 119–20; suicide and, 67; in transpersonal theory, 57–58
- U.S. Religious Landscape Survey, 244
- Utilitarian principle, 11–12
- Value conflict: advance directives and, 14–15; ethics and, 11–12, 179; with family, 15; hospice use and, 16; in interdisciplinary team, 199–201; 911 call and, 15; religion and, 11, 15–16, 126–27; self-knowledge and, 290–91
- Vipassana meditation, 296
- Visiting policy, 171
- Volunteer, 8, 18, 231
- Way of being, 127–28
- Weisman, 66, 111–12
- White racial identity development theory, 261–62
- Widerson, E., 255
- World Health Organization, 63, 233
- Young adult, 96